




**SUBARU**

PART NUMBER: SOA3881300

**INSTALLATION INSTRUCTIONS**

**DESCRIPTION:  
SUBARU BATTERY TIE DOWN**

**A**



BATTERY TIE DOWN X 1

**B**

**ATTENTION:**  
Installation instructions for this product are not included in this kit. To download the installation instructions, customers in the United States should visit the Subaru Technical Information System (STIS) website at <https://techno.subaru.com>. Customers in Canada should visit <http://www.subaru.ca/>.

**REMARQUE:**  
Les instructions d'installation de ce produit ne sont pas incluses dans la présentation de ce kit. Pour télécharger les instructions d'installation, les consommateurs américains doivent se rendre sur le site Subaru Technical Information System (STIS) à <https://techno.subaru.com/>. Les consommateurs Canadiens doivent visiter le site <http://www.subaru.ca/>.

**TOOLS REQUIRED**



10mm DEEP SOCKET

INSTRUCTIONS LABELS X1

**MEANING OF CHARACTERS**

: Remove

**T** : Tighten Torque

: Install

: Loosen

: Disconnect

: Discard

: Connect

: Re use

: Location of Clip or Screw



		RE-USE	ALL MODELS
1: REMOVE CABLE TIE CLIP			

		RE-USE	ALL MODELS
2: REMOVE NUTS			

			ALL MODELS
3: REMOVE BATTERY TIE DOWN			


			ALL MODELS
4: INSTALL SUBARU BATTERY TIE DOWN			

		RE-USE	ALL MODELS
5: REINSTALL NUTS REMOVED IN 2. TIGHTENING TORQUE: 3.5 NM (0.4 KGF-M, 2.6 FT-LB)			

		RE-USE	ALL MODELS
6: REINSTALL CABLE TIE CLIP REMOVED IN 1			

**SUBARU**

NUMÉRO DE PIÈCE : SOA3881300

INSTRUCTIONS  
D'INSTALLATIONDESCRIPTION :  
ATTACHE DE BATTERIE SUBARU**A**


ATTACHE DE BATTERIE X 1

**B**

**ATTENTION:**  
Installation instructions for this product are not included in this kit. To download the installation instructions, customers in the United States should visit the Subaru Technical Information System (STIS) website at <https://techinfo.subaru.com>. Customers in Canada should visit <http://www.subaru.ca/>.

**REMARQUE:**  
Les instructions d'installation de ce produit ne sont pas incluses dans la présente notice. Pour télécharger les instructions d'installation, les consommateurs américains doivent se rendre sur le site Subaru Technical Information System (STIS) à <https://techinfo.subaru.com>. Les consommateurs canadiens doivent visiter le site <http://www.subaru.ca/>.

OUTILS REQUIS



ÉTIQUETTES D'INSTRUCTIONS X1

DOUILLE LONGUE DE 10 MM

SIGNIFICATION DES SYMBOLES

: Retirer

: Installer

: Déconnecter

: Connecter

: Emplacement de l'attache ou de la vis

**T** : Couple de serrage

: Desserrer

: Jeter

: Réutiliser

NUMÉRO DE PIÈCE  
SOA3881300VERSION  
01DATE :  
19 février 2020

SUBARU OF AMERICA

PAGE  
1 de 2



			<b>TOUS LES MODÈLES</b>
<b>1. RETIRER L'ATTACHE-CÂBLE</b>			

			<b>TOUS LES MODÈLES</b>
<b>2. RETIRER LES ÉCROUS</b>			

			<b>TOUS LES MODÈLES</b>
<b>3. RETIRER L'ATTACHE DE BATTERIE</b>			

			<b>TOUS LES MODÈLES</b>
<b>4. INSTALLER L'ATTACHE DE BATTERIE SUBARU</b>			

			<b>TOUS LES MODÈLES</b>
<b>5. REMETTRE EN PLACE LES ÉCROUS RETIRÉS À L'ÉTAPE 2. COUPLE DE SERRAGE : 3,5 N.M (0,4 KGF-M, 2,6 LB-PI)</b>			

			<b>TOUS LES MODÈLES</b>
<b>6. REMETTRE EN PLACE L'ATTACHE-CÂBLE RETIRÉ À L'ÉTAPE 1</b>			