




**SUBARU**

PART NUMBER: SOA3881330

INSTALLATION  
INSTRUCTIONS

DESCRIPTION :  
OIL CAP 0W-16

**A**




OIL CAP 0W-16

**B**

**ATTENTION:**  
Installation instructions for this product are not included in this kit. To download the installation instructions, customers in the United States should visit the Subaru Technical Information System (STIS) website at <https://techinfo.subaru.com>. Customers in Canada should visit <http://www.subaru.ca/>.

**REMARQUE:**  
Les instructions d'installation de ce produit ne sont pas incluses dans le présent kit. Pour télécharger les instructions d'installation, les consommateurs américains doivent se rendre sur le site Subaru Technical Information System (STIS) à <https://techinfo.subaru.com>. Les consommateurs Canadiens doivent visiter le site <http://www.subaru.ca/>.

TOOLS REQUIRED



INSTRUCTIONS LABELS X1

MEANING OF CHARACTERS

← : Remove

⇨ : Install


↔ : Disconnect

⊕ : Connect

○ : Location of Clip or Screw

T : Tighten Torque


⇦ : Loosen

 : Discard

 : Re use



ALL MODELS




1. REMOVE OIL CAP



REUSE


ALL MODELS



2. USE A SCREWDRIVER TO REMOVE THE GASKET




ALL MODELS



3. INSTALL THE GASKET IN THE SUBARU OIL CAP



ALL MODELS



4. INSTALL THE SUBARU OIL CAP




**SUBARU**

NUMÉRO DE PIÈCE : SOA3881330

INSTRUCTIONS  
D'INSTALLATION

DESCRIPTION :  
OIL CAP 0W-16

**A**




BOUCHON D'HUILE 0W-16

**B**

**ATTENTION:**  
Installation instructions for this product are not included in this kit. To download the installation instructions, customers in the United States should visit the Subaru Technical Information System (STIS) website at <http://techinfo.subaru.com>. Customers in Canada should visit <http://www.subaru.ca/>.

**REMARQUE:**  
Les instructions d'installation de ce produit ne sont pas incluses dans la présente notice. Pour télécharger les instructions d'installation, les consommateurs américains doivent se rendre sur le site Subaru Technical Information System (STIS) à <http://techinfo.subaru.com>. Les consommateurs Canadiens doivent visiter le site <http://www.subaru.ca/>.

OUTILS REQUIS



ÉTIQUETTES D'INSTRUCTIONS X1

SIGNIFICATION DES SYMBOLES

: Retirer

: Installer

: Déconnecter

: Connecter

: Emplacement de l'attache ou de la vis

**T** : Couple de serrage


: Desserrer

: Jeter


: Réutiliser



**TOUS LES  
MODÈLES**




**1. ENLEVER LE BOUCHON D'HUILE**



REUTILISER


**TOUS LES  
MODÈLES**



**2. UTILISER UN TOURNEVIS POUR  
ENLEVER LE JOINT**




**TOUS LES  
MODÈLES**



**3. POSER LE JOINT DANS LE  
BOUCHON SUBARU**



**TOUS LES  
MODÈLES**



**4. POSER LE BOUCHON D'HUILE  
SUBARU**