

20MY Legacy/Outback Owner's Manual Supplement

Additional information for the Center Information Display

Please refer to the separate Owner's Manual for information not covered in this supplement.
Please keep this supplement with your Owner's Manual and leave it in the vehicle at the time of resale.
The next owner will need the information it contains.

The function has been changed by the software update of the Center Information Display.
The list of the changes to the Owner's Manual due to this update are below.

Item Number	Description	Applicable	
		Software update by dealer via USB ^{*1}	Software update by user via Wi-Fi ^{*2, *3}
1	Enable clock setting by touching the clock display on the status bar	x	-
2	"Auto Start Stop" and "Cruise Control Acceleration Characteristics" were moved to the "Vehicle Control" section	x	-
3	Change description "Sync With DCM" to "Auto" Change description "STARLINK" to "SUBARU STARLINK"	x	x
4	Enable clock setting by touching the clock display on the status bar	x	-
5	Change description "STARLINK" to "SUBARU STARLINK"	x	-
6	"Cruise Control Acceleration Characteristics" was moved to the "Vehicle Control" section	x	-
7	Enable clock setting by touching the clock display on the status bar	x	-
8	Enable clock setting by touching the clock display on the status bar	x	-
9	The description of the 11.6-inch display models without navigation system of "Sync With DCM" was changed to "Auto"	x	x
10	The climate control screen button positions of dual 7.0-inch display models were changed	x	-
11	The gauge in the temperature control screen was centered	x	-
12	The climate control screen button positions of dual 7.0-inch display models were changed	x	-

*1 Software version after updated: F11G*M02*-504

*2 Software version after updated: F11G*M02*-704

*3 11.6-inch display system/11.6-inch display with Navigation system only

SUBARU CORPORATION, TOKYO, JAPAN

"SUBARU" and the six-star cluster design are registered trademarks of SUBARU CORPORATION.

© Copyright 2020 SUBARU CORPORATION

Item Number 1

Chapter	Chapter 3
Main Title	3-8. Center Information Display (CID)
Sub Title	11.6-Inch Display Models (If Equipped)

▽ Status bar

The outside temperature and clock are displayed on the status bar.

NOTE

- The outside temperature indicator shows the temperature around the sensor. Therefore, the temperature indication may differ from the actual outside air temperature.
- The temperature unit cannot be changed.
- The clock can be displayed in either 12-hour display or 24-hour display. For details, refer to “Clock” P240.
- Touch the clock on the status bar to display the clock setting screen. Refer to “Clock” P240.
- For details about Bluetooth device information, refer to the navigation/audio Owner’s Manual.

Item Number 2

Chapter

Chapter 3

Main Title

3-8. Center Information Display (CID)

Sub Title

11.6-Inch Display Models (If Equipped)

Item		Available settings	Page reference for the vehicle system operation	Page reference for the setting procedure
1st menu	2nd menu			
Vehicle Control	Vehicle Dynamics Control	ON/OFF	351	220
	X-MODE*1	Models with 1 mode: ON/OFF Models with 2 modes: Normal, Deep Snow/Mud, Snow/Dirt	353	220
	Auto Vehicle Hold (AVH)	ON/OFF	360	220
	Steering Responsive Headlights (SRH)*1	ON/OFF	249	220
	<u>Cruise Control Acceleration Characteristics</u>	<u>Lv.1 (Eco)/Lv.2 (Comfort)/Lv.3 (Standard)/Lv.4 (Dynamic)</u>	<u>Refer to the Owner's Manual supplement for the EyeSight system.</u>	—
	<u>Auto Start Stop</u>	<u>ON/OFF</u>	<u>367</u>	<u>220</u>
Driving Assistance	Pre-Collision Braking	Setting ON/Setting OFF	Refer to the Owner's Manual supplement for the EyeSight system.	—
	Lane Departure Prevention Function	All Functions/Lane Departure Prevention Function Only/Warning Buzzer Only/OFF		
	BSD/RCTA*1	ON/OFF		
Others	Warning Volume	Min/Mid/Max	380, 394 and *2	—
	Units	km, km/h, Liter/Miles, MPH, Gallon	171 and 197	220
	Driver Monitoring System*1	ON/OFF	396	220

*1: If equipped.

*2: For details about the EyeSight system, refer to the Owner's Manual supplement for the EyeSight system.

Item Number 3-1

Chapter	Chapter 3
Main Title	3-8. Center Information Display (CID)
Sub Title	11.6-Inch Display Models (If Equipped)

The setting adjustments to the following items can be manually changed to meet your personal requirements.

Item			Available settings	Page reference for the vehicle system operation	Page reference for the setting procedure
1st menu	2nd menu	3rd menu			
General	Clock	Time Setting	<u>Auto</u> /Manual	240	240
		Time Zone*1	AUTO/Pacific/Mountain/Central/ Eastern/Atlantic/Newfoundland/ Hawaii/Alaska		220
		Daylight Saving Time*1	AUTO/ON (+1 hour)/OFF		220
		Clock Format	12H/24H		220
	Display	Display Off	Turn the screen on or off.	—	220
		Brightness Dial	ON/OFF	173	220
		Brightness/Contrast	Set and adjust the brightness and contrast of the display.	220	220
	Wi-Fi	Wi-Fi	ON/OFF	*4	—
		Connected to:	Select the registered device.		
		Available Wi-Fi Networks	Add		
		Wi-Fi Protected Setup	PIN Setup/Push Button Setup		
		Registered Wi-Fi Networks	—		
	Wi-Fi Hotspot	—	ON/OFF	*5	

Item Number 3-2

Chapter	Chapter 3
Main Title	3-8. Center Information Display (CID)
Sub Title	11.6-Inch Display Models (If Equipped)

Item			Available settings	Page reference for the vehicle system operation	Page reference for the setting procedure
1st menu	2nd menu	3rd menu			
General	Periodic Rest Notification*1	—	ON/OFF	*4	—
	Software Update	Update	Check if a new software update		
		Automatically Check for Updates	ON/OFF		
		Automatically Download Updates	ON/OFF		
	<u>SUBARU STARLINK Apps Recovery</u>	—	OK/Cancel		
	<u>SUBARU STARLINK Auto Connect</u>	—	ON/OFF		
	Factory Data Reset	—	Reset/Cancel		
	System Information	—	—		
	Free/Open Source Software Information	—	—		

*1: Models with navigation system

*2: Models without navigation system

*3: If equipped

*4: For details about the audio and navigation system, refer to the Owner's Manual supplement for the audio and navigation system.

*5: For details, refer to the Owner's Manual supplement for SUBARU STARLINK Safety and Security.

NOTE

Touch ⓘ to display the explanation of the items.

Item Number 4

Chapter	Chapter 3
Main Title	3-8. Center Information Display (CID)
Sub Title	Dual 7.0-Inch Display Models (If Equipped)

▽ Status bar

The driver profiles icon, outside temperature and clock are shown on the display.

NOTE

- The outside temperature indicator shows the temperature around the sensor. Therefore, the temperature indication may differ from the actual outside air temperature.
- The temperature unit cannot be changed.
- The clock can be shown in either 12-hour display or 24-hour display. For details about the setting, refer to “Clock” [P240](#).
- Touch the clock on the status bar to display the clock setting screen. Refer to “Clock” [P240](#).

Item Number 5

Chapter

Chapter 3

Main Title

3-8. Center Information Display (CID)

Sub Title

Dual 7.0-Inch Display Models (If Equipped)

Item			Available settings	Page reference for the vehicle system operation	Page reference for the setting procedure
1st menu	2nd menu	3rd menu			
General	Climate Control	Customize Climate Button	A/C/MAX A/C/AUTO/Recirculation	281	237
	Language	—	English/Français/Español	197 and 205	237
	Tire Pressure Units*1	—	kPa/PSi	201	237
	Home Screen Shortcuts	—	ON/OFF	*2	237
	Welcome Screen	—	ON/OFF	198	237
	Goodbye Screen	—	ON/OFF	198	237
	Birthday List	—	Set a birthday.	206	238
	Anniversary List	—	Set an anniversary day.	206	238
	<u>SUBARU STARLINK Apps Recovery</u>	—	OK/Cancel	*2	—
	<u>SUBARU STARLINK Auto Connect</u>	—	ON/OFF		
	Factory Data Reset	—	Reset/Cancel		
	System Information	—	—		
	Free/Open Source Software Information	—	—		

*1: If equipped

*2: For details about the audio and navigation system, refer to the Owner's Manual supplement for the audio and navigation system.

NOTE

Touch  to display the explanation of the items.

Item Number 6

Chapter	Chapter 3
Main Title	3-8. Center Information Display (CID)
Sub Title	Dual 7.0-Inch Display Models (If Equipped)

Item			Available settings	Page reference for the vehicle system operation	Page reference for the setting procedure
1st menu	2nd menu	3rd menu			
X-MODE*1	—	—	ON/OFF	353	237
Vehicle Control	Vehicle Dynamics Control	—	ON/OFF	351	237
	Auto Vehicle Hold (AVH)	—	ON/OFF	360	237
	<u>Cruise Control Acceleration Characteristics</u>	—	<u>Lv.1 (Eco)/Lv.2 (Comfort)/Lv.3 (Standard)/Lv.4 (Dynamic)</u>	*2	—
Driving Assistance	Pre-Collision Braking	—	Setting ON/Setting OFF	*2	—
	Lane Departure Prevention Function	—	All Functions/Lane Departure Prevention Function Only/Warning Buzzer Only/OFF		
Others	Warning Volume	—	Min/Mid/Max	*2	237
	Units	—	km, km/h, Liter/Miles, MPH, Gallon	171 and 197	237
	Auto Start Stop	—	ON/OFF	367	237

*1: For Outback

*2: For details about EyeSight system, refer to the Owner's Manual supplement for the EyeSight system.

Item Number 7

Chapter

Chapter 3

Main Title

3-9. Clock

Sub Title



Setting the Clock Manually

■ Setting the Clock Manually



▼ Dual 7.0-inch display models

1. Turn the ignition switch to the “ON” position.



2. Press  (HOME).
3. Touch  (Settings).
4. → “General”
5. → “Clock”
6. → “Time Setting”



7. → “Manual”
8. →  or 
9. → “OK”

NOTE

The clock setting screen can also be displayed by touching the clock on the status bar.

Item Number 8

Chapter

Chapter 3

Main Title

3-9. Clock



Sub Title


Setting the Clock Manually



▼ 11.6-inch display models

1. Turn the ignition switch to the "ON" position.



2. Touch  (HOME).
3. →  (Settings)
4. → "General"
5. → "Clock"
6. → "Time Setting"



7. → "Manual"
8. →  or 
9. → "OK"

NOTE

The clock setting screen can also be displayed by touching the clock on the status bar.

Item Number 9

Chapter

Chapter 3

Main Title

3-9. Clock



Sub Title

Setting the Clock Automatically

▼ 11.6-inch display models

1. Turn the ignition switch to the “ON” position.



2. Touch  (HOME).
3. →  (Settings)
4. → “General”
5. → “Clock”
6. → “Time Setting”
7. → “Auto”

Item Number 10

Chapter

Chapter 4


Main Title

4-2. Climate Control Panel

Sub Title

Dual 7.0-Inch Display Models

▼ Climate control screen



403397

Climate control screen (lower display)

➡ : Touch the climate control mode indicator

- 1) Climate control mode indicator
- 2) Climate control ON/OFF button
- 3) Fan speed indicator
- 4) Customizable icon*
- 5) Airflow mode selection screen
- 6) Climate control mode select button
- 7) Fan speed control screen

*: The customizable icon can be changed to the favorite icon. Refer to “General settings” P229.

Item Number 11

Chapter

Chapter 4


Main Title

4-2. Climate Control Panel

Sub Title

Dual 7.0-Inch Display Models

▼ Temperature control screen



Climate control screen (lower display)

➡ : Touch the set temperature indicator

- 1) Set temperature indicator
- 2) Climate control ON/OFF button
- 3) Fan speed indicator
- 4) Customizable icon*
- 5) Temperature control screen
- 6) Temperature control bar

*: The customizable icon can be changed to the favorite icon. Refer to "General settings" P229.

Item Number 12

Chapter

Chapter 4


Main Title

4-3. Automatic Climate Control Operation

Sub Title

Climate control screen (dual 7.0-inch display models)

4-3. Automatic Climate Control Operation



Climate control screen (dual 7.0-inch display models)