

NHTSA Recall Number 15T-016

August 10, 2015

Subject: SAFETY RECALL NOTICE for Dealers located in AK, HI & PR

Dear MAST Dealer,

This notice is sent to you in accordance with the requirements of the National Traffic and Motor Vehicle Safety Act.

Michelin North America, Inc., of which BFGoodrich is one of its tire brands, has decided that a defect which relates to motor vehicle safety exists with certain BFGoodrich Commercial T/A All-Season, BFGoodrich Commercial T/A All-Season 2 and BFGoodrich Rugged Terrain T/A tires and are included in this safety recall.

Approximately 104,000 of the recalled tires were sold in the U.S. market. These tires are primarily found on commercial light trucks, as well as full-sized heavy-duty vans, small RVs and some 3/4 and one ton pick-up trucks.

BFGoodrich has observed that a limited number of these tires have experienced a rapid loss of air pressure due to a rupture of the sidewall in the bead area under severe usage conditions. This can result in a potential risk of loss of vehicle control or vehicle crash. At this time there have been no injuries or fatalities reported.

You are receiving this letter because our records indicate that you may have purchased one or more of the recalled tires.

Further, MAST is required to advise you of certain tire dealer obligations, which are detailed on page 5 of this notice.

MAST requests your assistance with identifying, replacing and returning the affected tires.

The chart on page 2 provides the Tire Description, DOT (Department of Transportation) sequence identifier and DOT production periods of the manufacturing populations which contain the recalled tires. DOT tire sidewall markings serve as the tire's fingerprint and signify compliance with U.S. Department of Transportation Minimum Performance Standards. The DOT markings can be found on the sidewall just above the wheel flange. See Appendix A.

The recalled tires are:

Tire Description	Load Range	MSPN	DOT Sequence	DOT Production Periods (inclusive)
BFGoodrich Commercial T/A All-Season	LRE	22656	BE15JD11	1814 to 1914
LT 275/70R18 125/122Q				
BFGoodrich Commercial T/A All-Season 2	LRE	13934	BE15DD11	0814 to 2115
LT 275/70R18 125/122R				
BFGoodrich Rugged Terrain T/A	LRE	05023	BE150211	1414 to 4914
LT 275/70R18 125/122R				
BFGoodrich Rugged Terrain T/A	LRE	31847	BEB90211	4114 to 0415
LT 275/65R18 123/120R				
BFGoodrich Commercial T/A All-Season 2	LRE	11616	BEABDD11	2114 to 1515
LT 235/80R17 120/117R				
BFGoodrich Commercial T/A All-Season 2	LRE	17795	BEAHDD11	1514 to 4714
LT 265/70R17 121/118R				
BFGoodrich Commercial T/A All-Season 2	LRE	39532	BE43DD11	1114 to 1415
LT 245/75R17 121/118R				
BFGoodrich Commercial T/A All-Season 2	LRE	30539	BEP8DD11	1814 to 0315
LT 245/70R17 119/116R				

The actions needed to support this recall are:

Immediately Stop the Sale, and/or mounting of recalled tires.

- 1. <u>Immediately</u> **Return New/Never Mounted Recalled Tires** from your inventory.
- 2. Immediately **Provide List of Tire Owners** for recalled tires.
- 3. **Read** required steps necessary to support consumers with Replacing recalled tires.

Step 1: Identify and Return Inventory (New/Never Mounted) Recalled DOT Cut Out

To determine if you have tires that are included in this recall, please check the DOT information found on the sidewall of the tire as explained in Appendix A. Only tires matching all four elements (Tire Description, MSPN, DOT Sequence and DOT Production Periods) are part of this recall.

As a result of this safety recall, you are required to take the following Dealer actions to return **full DOT cut outs** to MAST for all recalled tires:

- 1. Check your inventory for the specific DOT identification numbers affected. **Immediately stop the sale, and/or mounting of these tires.**
- 2. Immediately count your inventory of affected tires.
- 3. Complete TCAR warranty claim using BibNet Online Warranty process (Michelinb2b.com) or paper warranty AA claim form.
- 4. **New/Never mounted** claims are to be processed with the following:

- a. Enter Dealer Name and Address as Consumer (tires were never sold, so Tire Dealer is the Tire Owner)
- b. Select any current year vehicle for processing a new/never mounted tire
- c. Enter "New Tire" in the VIN number field
- d. Use Claim Type 1
- e. Select "Market Action" as Reason for Removal
- f. Must have **0% and \$0 Consumer Charge** on form (tires were never sold to consumer).
- 5. Return the **FULL** DOT cut outs along with **BibNet Pack List** or **Original** Paper Claim Forms to:

Michelin Inspection Center Attention: Safety Recall 20 Downing Dr. Phenix City, AL 36869

- 6. **Tape** tire label to DOT cut outs
- 7. Locations in Alaska and Hawaii should ship via UPS and Puerto Rico locations should ship via Fed Ex. Use your standard warranty 3rd party billing account numbers or contact your Michelin Account Manager if you do not have this information.
- 8. You will be credited at your current invoice price for all New/Never Mounted recalled DOT cut outs upon receipt and verification.
- 9. Additional **\$2 per claim** will be credited when processed via BibNet Online Warranty.

Step 2: Provide List of Tire Owners

As a result of this safety recall, **you are required** to take the following Dealer action to immediately provide MAST with a list of Tire Owners to whom you sold the tires that have been recalled.

Please send the following information:

First Name(Business), Last name(Attn. To:), Address1, Address2, City, State, Zip Code, Phone Number and e-mail address.

Consumer Care will contact known Tire Owners by letter to notify them of this safety recall and the replacement process.

Please send the Tire Owner Information to:

Email: tiresafetyrecall@crdhna.com (<u>preferred method</u>, via excel file or .csv file)

Or Fax to: 800-672-0885 Attention: Tire Safety Recall

Or Mail to:

BFGoodrich Consumer Care Department Attention: Tire Safety Recall 110 Commerce Blvd. Kings Mountain, NC 28086

Step 3: Replace and Return (<u>Used/Previously Mounted</u>) Recall DOT Cut Out

Tire Owners may contact you to inspect their tires and, if required, replace them at **no cost to the consumer.** To replace and return recalled DOT cut outs for credit:

- 1. Validate the tires are part of this safety recall.
- 2. Ensure that you have the correct replacement tires in inventory. A list of MAST appropriate replacement tires is attached in Appendix B.
- 3. Free replacement will be offered through February 10, 2017. After February 10, 2017, recalled tires should be processed as standard warranty by pro-rata adjustment with the option to contact Consumer Care for further assistance.
- 4. If an approved MAST replacement tire is not available, you will need to call Consumer Care (866-524-2638) for instructions regarding this process. This situation will require the warranty claim to be processed as Claim Type 7 with a Michelin Consumer Care Authorization Code.
- 5. When replacing the recalled tires with new tires, use the MAST Warranty procedure to include the following:
 - a. Use BibNet Online Warranty process (Michelinb2b.com) or paper warranty AA claim form.
 - b. Dealer will be credited at current invoice price of the installed tire, a flat service and mounting and balancing allowance of \$28.00 per tire. Additional \$2 per claim will be credited when processed via BibNet Online.
 - c. Use Claim Type 1
 - d. Select "Market Action" as Reason for Removal
 - e. Must have **0% and \$0 Consumer Charge**. Consumers <u>cannot be charged</u> for recall replacement.
 - f. **Tape** tire/claim label to DOT cut out

6. Return the <u>FULL DOT cut outs</u> along with **BibNet Pack List** or **Original Paper Claim**Forms to:

Michelin Inspection Center Attention: Safety Recall 20 Downing Dr. Phenix City, AL 36869

- 7. Locations in Alaska and Hawaii should ship via UPS and Puerto Rico locations should ship via Fed Ex. Use your standard warranty 3rd party billing account numbers or contact your Michelin Account Manager if you do not have this information.
- 8. For purposes of this recall, treat National Account and Government customers as you would any other Tire Owner. You should replace any tires that are a part of this recall with an approved replacement tire and submit the recalled tires as outlined above

For questions concerning recall claim processing for AK, HI or PR, contact Customer Service Representative @ 800-847-8475.

IMPORTANT - Disposition of Safety Recall Tires

MAST is required to advise you of the following information and tire dealer obligations:

- 1. It is a violation of Federal law to knowingly sell or lease a tire which is defective.
 - If a dealer knowingly sells or leases new or used defective tires; that such a sale must be reported to the Associate Administrator for Safety Assurance, National Highway Traffic Safety Administration, 1200 New Jersey Avenue, S.E., Washington, DC 20590 or call the toll-free Auto Safety Hotline at 1-888-327-4236 (TTY 1-800-424-9153); or
 - go to <u>www.safercar.gov</u> within five working days of such a release in a report containing the following information:
 - i) a statement that the report is being submitted pursuant to 49 CFR 573.10(a);
 - ii) the name, address and phone number of the person who purchased or leased the tire;
 - iii) the name of the manufacturer of the tire;
 - iv) the tire's brand name, model name, and size;
 - v) the tire DOT identification number:
 - vi) the date of the sale or lease; and
 - vii) The name, address, and telephone number of the seller or lessor.
- 2. Under Federal law, MAST is required to report (by dealer name and address) any known instances of its dealers selling or leasing new or used defective tires.
- 3. On a monthly basis, dealers must report to MAST the number of defective tires disposed of in violation of these instructions or in violation of any of applicable state and local laws or regulations. The report must include a description of any such failure to act in accordance with MAST's disposal plan.

These notifications and instructions must be communicated to all employees of this dealership who are involved in the inspection and removal of recalled tires.

The recalled DOT cut outs must be returned for the credit to be processed. If you have any additional questions, please contact your Customer Service Representative (800-847-8475).

Commitment to safety, quality and respect for the customer are our highest priorities. Please accept our sincerest apologies for any inconvenience that replacing these tires may cause. Thank you for your support in helping us to implement a successful safety recall.

Sincerely,

Marc Pasquet

Michelin Americas Small Tires

Appendix A: Reading DOT Markings

DOT markings serve as the tire's fingerprint and signify compliance with U.S. Department of Transportation Minimum Performance Standards. The DOT markings can be found on the sidewall directly above the bead.


To find out if a tire is affected by the recall:

1. Determine if the tire is the following product:

Tire Description	Load Range	MSPN	DOT Sequence	DOT Production Periods (inclusive)
BFGoodrich Commercial T/A All-Season	LRE	22656	BE15JD11	1814 to 1914
LT 275/70R18 125/122Q				
BFGoodrich Commercial T/A All-Season 2	LRE	13934	BE15DD11	0814 to 2115
LT 275/70R18 125/122R				
BFGoodrich Rugged Terrain T/A	LRE	05023	BE150211	1414 to 4914
LT 275/70R18 125/122R				
BFGoodrich Rugged Terrain T/A	LRE	31847	BEB90211	4114 to 0415
LT 275/65R18 123/120R				
BFGoodrich Commercial T/A All-Season 2	LRE	11616	BEABDD11	2114 to 1515
LT 235/80R17 120/117R				
BFGoodrich Commercial T/A All-Season 2	LRE	17795	BEAHDD11	1514 to 4714
LT 265/70R17 121/118R				
BFGoodrich Commercial T/A All-Season 2	LRE	39532	BE43DD11	1114 to 1415
LT 245/75R17 121/118R				
BFGoodrich Commercial T/A All-Season 2	LRE	30539	BEP8DD11	1814 to 0315
LT 245/70R17 119/116R				

- If inspected tire is not the product noted above, the tire is not part of this recall. If it is this product, check the DOT sequence to determine if the tire is affected by the recall. Only tires matching all four elements (Tire Description, MSPN, DOT Sequence and DOT Production Periods) are part of this recall.
- 3. The following illustration shows an example of how to identify the DOT sequence for all affected tires noted above. If you have any questions concerning the tire's DOT identification numbers, please contact MAST Consumer Care at 866-524-2638.

HOW TO READ THE DOT



Appendix B:

Recommended MAST Product Replacement List

The following chart is a guide to assist you in selecting a proper replacement tire. Each of the options noted below is of equal size and has equal or higher service description.

MSPN	Description Recalled Tires	MSPN	· · · · · · · · · · · · · · · · · · ·	
			* indicates MSPN launching 3Q/4Q 2015	
11616	LT235/80R17 120/117R Commercial T/A A/S2	11616	LT235/80R17 120/117R Commercial T/A A/S2	
		14157	LT235/80R17 120/117R LTX M/S2	
		01569	LT235/80R17 120/117R LTX A/T2	
		10158	LT235/80R17 120/117S All-Terrain T/A KO2	*
30539	LT245/70R17 119/116R Commercial T/A A/S2	30539	LT245/70R17 119/116R Commercial T/A A/S2	
		00644	LT245/70R17 119/116R LTX M/S2	
		16814	LT245/70R17 119/116R Defender LTX M/S	*
		09666	LT245/70R17 119/116S All-Terrain T/A KO2	
	LT245/75R17 121/118R Commercial T/A A/S2	39532	LT245/75R17 121/118R Commercial T/A A/S2	
			LT245/75R17 121/118R Rugged Trail T/A	
			LT245/75R17 121/118R Rugged Trail T/A	
39532			LT245/75R17 121/118R LTX M/S2	
			LT245/75R17 121/118R Defender LTX M/S	*
			LT245/75R17 121/118S All-Terrain T/A KO2	
		17795	LT265/70R17 121/118R Commercial T/A A/S2	
			LT265/70R17 121/118R LTX M/S2	
			LT265/70R17 121/118R LTX M/S2	
			LT265/70R17 121/118R X Radial LT2	
17795	LT265/70R17 121/118R Commercial T/A A/S2		LT265/70R17 121/118R Rugged Trail T/A	
,			LT265/70R17 121/118R Defender LTX M/S	
			LT265/70R17 121/118R LTX A/T2 DT	
			LT265/70R17 121/118R LTX A/T2 DT	
		76397	LT265/70R17 121/118S All-Terrain T/A KO2	
	LT275/65R18 123/120R Rugged Terrain	01137	LT275/65R18 123/120R LTX M/S2	
			LT275/65R18 123/120R Defender LTX M/S	*
31847			LT275/65R18 123/120R LTX A/T2 DT	
			LT275/65R18 123/120R All-Terrain T/A KO2	
		13934	LT275/70R18 125/122R Commercial T/A A/S2	
			LT275/70R18 125/122R LTX M/S2	
05023 LT275/70R18 125/122R Ru	LT275/70R18 125/122R Rugged Terrain		LT275/70R18 125/122R Defender LTX M/S	*
			LT275/70R18 125/122R All-Terrain T/A KO2	
			LT275/70R18 125/122R Commercial T/A A/S2	
	5 LT275/70R18 125/122Q Commercial T/A A/S		LT275/70R18 125/122R LTX M/S2	
22656			LT275/70R18 125/122R Defender LTX M/S	*
			LT275/70R18 125/122R All-Terrain T/A KO2	-
			LT275/70R18 125/122R Commercial T/A A/S2	
13934	LT275/70R18 125/122R Commercial T/A A/S2		LT275/70R18 125/122R LTX M/S2	
			LT275/70R18 125/122R Defender LTX M/S	*
		80867	LT275/70R18 125/122R All-Terrain T/A KO2	