



Michael A. Berardi
Director
Service Engineering Operations
Ford Customer Service Division

Ford Motor Company
P. O. Box 1904
Dearborn, Michigan 48121

June 27, 2017

TO: All U.S. Ford and Lincoln Dealers

SUBJECT: Advance Notice - Compliance Recall 17C11
Certain 2016 Model Year Escape Vehicles
Driver Knee Airbag Module Gas Generant

AFFECTED VEHICLES

Vehicle	Model Year	Assembly Plant	Build Date
Escape	2016	Louisville	December 18, 2015

Affected vehicles are identified in OASIS and FSA VIN Lists.

NOTE: This Compliance Recall affects three (3) vehicles total.

REASON FOR THIS COMPLIANCE RECALL

The affected vehicles may not conform to the requirements specified by Federal Motor Vehicle Safety Standard (FMVSS) No. 208 Occupant Crash Protection. The driver knee airbag modules installed in the affected vehicles were produced without the inflator gas generant material. In the event of a driver knee airbag deployment, the airbag may not completely fill. Incomplete airbag fill during a commanded deployment may increase the risk of injury to the driver in the event of a crash.

SERVICE ACTION

Dealers are to contact the Special Service Support Center (SSSC) via the SSSC Web Contact Site for parts ordering and repair instructions. The SSSC Web Contact Site can be accessed through the Professional Technician Society (PTS) website using the SSSC link listed at the bottom of the OASIS VIN report screen or listed under the SSSC tab.

CUSTOMER NOTIFICATION

Owner letters are expected to be mailed the week of August 14, 2017. Dealers should contact the SSSC immediately and repair any affected vehicles that arrive at their dealerships, whether or not the customer has received a letter.

PLEASE NOTE:

Federal law requires dealers to complete this recall service before a new vehicle is delivered to the buyer or lessee. Violation of this requirement by a dealer could result in a civil penalty of up to \$21,000 per vehicle. Correct all vehicles in your new vehicle inventory prior to delivery.

Sincerely,

Michael A. Berardi