

Safety Recall 17S42 – Supplement #4
All 2004-2006 Model Year Ranger Vehicles
Driver and Passenger Airbag Inflator Replacement

REGIONAL CORE RECOVERY CENTER AIRBAG INFLATOR RETURN PROCESS

PART RETURN INSTRUCTIONS AND SHIPPING DOCUMENTATION

The Regional Core Recover Center (RCRC) will only pick up airbag inflators with a corresponding FCS-700 tag, and the replaced inflator must be packaged in the box from the new inflator. A FCS-700 tag will be generated for each airbag inflator on claims paid on or after December 13, 2017.

NOTE: If the new airbag inflator box is damaged or lost, contact Miguel Prigadaa at 210-250-5078 or SCTakataRestrains_International@xpo.com for a replacement box.

Print and provide both of the following completed documents to the RCRC driver:

1. Hazardous Materials Shipping Document (Page 2)
 - a. In the box titled Shipper, enter your dealership name and address.
 - b. In the box titled Receiver, enter the address of your Regional Core Recovery Center.
NOTE: Page 4 contains a list of RCRC locations. If you are unsure of which RCRC location serves your dealership, consult the RCRC driver.
 - c. In the box titled Number/Type of Package, enter the number of boxed inflators.
 - d. In the box titled Weight, enter the total shipment weight of all boxed inflators.
 - e. At the bottom of the Hazardous Materials Shipping Document, complete the Shipper's Certification
2. North American Emergency Response Guide 171 (Page 3)

HAZARDOUS MATERIALS SHIPPING DOCUMENT – GROUND TRANSPORTATION

| SHIPPER | RECEIVER |
|---|-------------------------------|
| Dealership Name: | Ford Motor Company |
| | Regional Core Recovery Center |
| Address: | Address: |
| | |
| | |
| Phone: | Phone: |
| 24-HOUR EMERGENCY CONTACT: INFOTRAC 1-800-535-5053 (Domestic) 1-352-323-3500 (International) | |

General Instructions: Pursuant to 49 CFR each person who offers a hazardous material for transportation shall perform the following pre- transportation functions: (1) Determine the hazard class of the material (2) Select authorized hazmat packaging (3) Fill hazmat packaging (4) Properly close hazmat packaging (5) Properly mark the package (6) Properly label the package (7) Prepare shipping document (8) Provide and maintain emergency response information (9) Review shipping paper to verify compliance to 49 CFR (10) Sign shipping document to certify shipment is in conformance to 49 CFR (11) Load hazardous material in transport vehicle (12) Segregate hazardous material from incompatible cargo (13) Select, provide or affix placards to transport vehicle to indicate that it holds hazardous materials.

Also, pursuant to 49 CFR an employer must ensure any employee performing any function affecting the transport of hazardous materials must be appropriately trained for the function the employee performs and must be retrained every thirty-six months.

| DOT Shipping Description | | |
|--------------------------|--|-------------|
| Number/Type of Package | UN Number, Proper Shipping Name, Hazard Class, Packing Group | Weight |
| Box(es) | UN3268, Safety Devices, Class 9 | Lbs. |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Shipper’s Certification (49 CFR 172.204): This is to certify that the above named materials are properly classified, described, packaged, marked and labeled and are in proper condition for transportation according to the applicable regulations of the Department of Transportation.

NAME: _____ **SIGNATURE:** _____ **DATE:** _____

| GUIDE 171 SUBSTANCES (LOW TO MODERATE HAZARD) | ERG2012 | SUBSTANCES (LOW TO MODERATE HAZARD) | ERG2012 | GUIDE 171 |
|--|---------|--|---------|--------------|
| | | <p>POTENTIAL HAZARDS</p> <p>FIRE OR EXPLOSION</p> <ul style="list-style-type: none"> Some may burn but none ignite readily. Containers may explode when heated. Some may be transported hot. <p>HEALTH</p> <ul style="list-style-type: none"> Inhalation of material may be harmful. Contact may cause burns to skin and eyes. Inhalation of Asbestos dust may have a damaging effect on the lungs. Fire may produce irritating, corrosive and/or toxic gases. Some liquids produce vapors that may cause dizziness or suffocation. Runoff from fire control may cause pollution. <p>PUBLIC SAFETY</p> <ul style="list-style-type: none"> CALL EMERGENCY RESPONSE Telephone Number on Shipping Paper first. If Shipping Paper not available or no answer, refer to appropriate telephone number listed on the inside back cover. As an immediate precautionary measure, isolate spill or leak area in all directions for at least 50 meters (150 feet) for liquids and at least 25 meters (75 feet) for solids. Keep unauthorized personnel away. Stay upwind. <p>PROTECTIVE CLOTHING</p> <ul style="list-style-type: none"> Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection. <p>EVACUATION</p> <p>Spill</p> <ul style="list-style-type: none"> See Table 1 - Initial Isolation and Protective Action Distances for highlighted materials. For non-highlighted materials, increase, in the downwind direction, as necessary, the isolation distance shown under "PUBLIC SAFETY". <p>Fire</p> <ul style="list-style-type: none"> If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions. | | Page 280 |
| | | <p>PUBLIC SAFETY</p> <ul style="list-style-type: none"> CALL EMERGENCY RESPONSE Telephone Number on Shipping Paper first. If Shipping Paper not available or no answer, refer to appropriate telephone number listed on the inside back cover. As an immediate precautionary measure, isolate spill or leak area in all directions for at least 50 meters (150 feet) for liquids and at least 25 meters (75 feet) for solids. Keep unauthorized personnel away. Stay upwind. <p>PROTECTIVE CLOTHING</p> <ul style="list-style-type: none"> Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection. <p>EVACUATION</p> <p>Spill</p> <ul style="list-style-type: none"> See Table 1 - Initial Isolation and Protective Action Distances for highlighted materials. For non-highlighted materials, increase, in the downwind direction, as necessary, the isolation distance shown under "PUBLIC SAFETY". <p>Fire</p> <ul style="list-style-type: none"> If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions. | | Page 281 |
| <p>ERG2012</p> <p>SUBSTANCES (LOW TO MODERATE HAZARD)</p> <p>GUIDE 171</p> <p>EMERGENCY RESPONSE</p> <p>FIRE</p> <p>Small Fire</p> <ul style="list-style-type: none"> Dry chemical, CO₂, water spray or regular foam. <p>Large Fire</p> <ul style="list-style-type: none"> Water spray, fog or regular foam. Do not scatter spilled material with high pressure water streams. Move containers from fire area if you can do it without risk. Dike fire-control water for later disposal. <p>Fire Involving Tanks</p> <ul style="list-style-type: none"> Cool containers with flooding quantities of water until well after fire is out. Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank. ALWAYS stay away from tanks engulfed in fire. <p>SPILL OR LEAK</p> <ul style="list-style-type: none"> Do not touch or walk through spilled material. Stop leak if you can do it without risk. Prevent dust cloud. Avoid inhalation of asbestos dust. <p>Small Dry Spill</p> <ul style="list-style-type: none"> With clean shovel place material into clean, dry container and cover loosely; move containers from spill area. <p>Small Spill</p> <ul style="list-style-type: none"> Take up with sand or other non-combustible absorbent material and place into containers for later disposal. <p>Large Spill</p> <ul style="list-style-type: none"> Dike far ahead of liquid spill for later disposal. Cover powder spill with plastic sheet or tarp to minimize spreading. Prevent entry into waterways, sewers, basements or confined areas. <p>FIRST AID</p> <ul style="list-style-type: none"> Move victim to fresh air. Call 911 or emergency medical service. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Remove and isolate contaminated clothing and shoes. In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. | | | | Page 281 |

RCRC Locations

| RCRC CODE | Address | City | State | Zip |
|-----------|---|------------------|-------|-------|
| 00708 | TRI COUNTY COMMERCE PARK, BLDG. 3/3A, 2511 LOVI ROAD | FREEDOM | PA | 15042 |
| 01183 | 20501 PENNSYLVANIA ROAD STE 140 | BROWNSTOWN Twp | MI | 48192 |
| 01326 | 9040 BURROUGH DOVER LANE | PENNSAUKEN | NJ | 08110 |
| 01728 | 3700 CLAYMOORE PK. DR., S. 160 | HOUSTON | TX | 77043 |
| 01729 | 5915 CORRIDOR PARKWAY | SCHERTZ | TX | 78154 |
| 02276 | 4300 ROUND LAKE ROAD W. UNIT 200 | ARDEN HILLS | MN | 55112 |
| 02454 | 1605 SURVEYOR BLVD. | CARROLLTON | TX | 75006 |
| 03001 | 8333 WASHINGTON PL NE Suite E | ALBUQUERQUE | NM | 87113 |
| 03199 | 7103 E. 47TH AVE. | DENVER | CO | 80216 |
| 04861 | 5503 F ST | OMAHA | NE | 68117 |
| 05399 | 3421 W. WELDON. | PHOENIX | AZ | 85017 |
| 05495 | 4161 DIXON AVE | DES MONIES | IA | 50313 |
| 05514 | 3645 DEVELOPERS RD. | INDIANAPOLIS | IN | 46227 |
| 06201 | 3737 S. CAPITOL AVE. | WHITTIER | CA | 90601 |
| 06583 | 600 SOUTH THERESA AVE. | ST LOUIS | MO | 63103 |
| 06586 | 4444 SOUTH BLVD. | CHARLOTTE | NC | 28209 |
| 06615 | 8242 SANDY COURT | JESSUP | MD | 20794 |
| 06952 | 7145 INDUSTRIAL | EL PASO | TX | 79915 |
| 06953 | 550 GILLS DRIVE | ORLANDO | FL | 32824 |
| 06954 | 5286 GEORRGIA HWY 85, SUITE 200 | FOREST PARK | GA | 30297 |
| 06955 | 545 FORD AVE | JACKSON | MS | 39209 |
| 06959 | 900 W. MAIN | OKLAHOMA CITY | OK | 73106 |
| 07089 | 4304 EUBANK ROAD | RICHMOND | VA | 23231 |
| 08263 | 11 CHAPIN RD, UNIT A | PINE BROOK | NJ | 07058 |
| 08453 | 18637 72nd AVE S | KENT | WA | 98032 |
| 08454 | 5220 N. E. 152ND PLACE | PORTLAND | OR | 97230 |
| 08587 | 2999 MILLER STREET | SAN LEANDRO | CA | 94577 |
| 08731 | 8250 NE UUNDERGROUND DRIVE PILLAR 153 | KANSAS CITY | MO | 64161 |
| 08858 | 2333 S. 1800 WEST | WEST VALLEY CITY | UT | 84119 |
| 09001 | 3311 CORPORATE DR | JOLIET | IL | 60431 |
| 09121 | 444 WHITNEY ST | NORTHBOROUGH | MA | 01532 |
| 09252 | 1901 LEMOYNE AVE. | SYRACUSE | NY | 13208 |