



U.S. Department of Transportation
**National Highway Traffic Safety
Administration**

1200 New Jersey Avenue SE
Washington, DC 20590

December 13, 2017

Mr. Fred Imundo
Compliance Coordinator
Navistar, Inc.
2701 Navistar Dr.
Lisle, IL 60532

NEF-150KS
17V-792

Subject: Fire Extinguisher May Be Clogged or Inoperable

Dear Mr. Imundo:

This letter serves to acknowledge Navistar, Inc.'s notification to the National Highway Traffic Safety Administration (NHTSA) of a safety recall which will be conducted pursuant to Federal law for the product(s) listed below. Please review the following information to ensure that it conforms to your records as this information is being made available to the public. If the information does not agree with your records, please contact us immediately to discuss your concerns.

Makes/Models/Model Years:

INTERNATIONAL/4700/2000-2001
INTERNATIONAL/4900/2000-2002
INTERNATIONAL/9100I/2001-2003
INTERNATIONAL/DURASTAR/2002-2003, 2005, 2007-2009, 2012-2014, 2016-2018
INTERNATIONAL/LT/2018
INTERNATIONAL/PROSTAR/2012, 2014-2017
INTERNATIONAL/TERRASTAR/2014-2015
INTERNATIONAL/TRANSTAR/2001-2003

Mfr's Report Date: December 11, 2017

NHTSA Campaign Number: 17V-792

Components:
EQUIPMENT

Potential Number of Units Affected: 10,195

Problem Description:

Navistar, Inc. (Navistar) is recalling certain 2000-2001 International 4700, 2000-2002 4900, 2001-2003 8100 (TranStar) and 9100I, 2002-2003, 2005, 2007-2009, 2012-2014 and 2016-2018 DuraStar, 2012 and 2014-2017 ProStar, 2014-2015 TerraStar, and 2018 LT trucks. These vehicles are equipped with Kidde Plastic-Handle or Push Button 'Pindicator' fire extinguishers that may become clogged, preventing the extinguisher from discharging as expected or excessive force may be needed to activate the extinguisher. Additionally, in certain models, the nozzle may detach from the valve assembly with enough force that it could cause injury and also render the product inoperable. For a full list of the affected fire extinguisher models visit: <https://static.nhtsa.gov/odi/rc1/2017/RMISC-17E062-5427.pdf>

Consequence:

In the event of a fire, if the fire extinguisher does not function properly, it can increase the risk of injury.

Remedy:

Navistar will notify owners, instructing them to notify Kidde for a replacement fire extinguisher, free of charge. The recall is expected to begin February 9, 2018. Owners may contact Navistar customer service at 1-331-332-1590, or contact Kidde customer service toll-free at 1-855-271-0773, or online at www.kidde.com and click on "Product Safety Recall" for more information.

Notes:

Owners may also contact the National Highway Traffic Safety Administration Vehicle Safety Hotline at 1-888-327-4236 (TTY 1-800-424-9153), or go to www.safercar.gov.

Please be reminded of the following requirements:

You are required to submit a draft owner notification letter to this office no less than five days prior to mailing it to the customers. Also, copies of all notices, bulletins, dealer notifications, and other communications that relate to this recall, including a copy of the final owner notification letter and any subsequent owner follow-up notification letter(s), are required to be submitted to this office no later than 5 days after they are originally sent (if they are sent to more than one manufacturer, distributor, dealer, or purchaser/owner).

Please be reminded that under 49 U.S.C. § 30112(a)(3), it is illegal for a manufacturer, to sell, offer for sale, import, or introduce or deliver into interstate commerce, a motor vehicle or item of motor vehicle equipment that contains a safety defect once the manufacturer has notified NHTSA about that safety defect. This prohibition does not apply once the motor vehicle or motor vehicle equipment has been remedied according to the manufacturer's instructions.

We understand that you intend for Kidde to supply the required six quarterly recall completion rate reports.

Your contact for this recall will be Kelly Schuler who may be reached by phone at (202) 366-5227, or by email at kelly.schuler@dot.gov or through the office email at rmd.odi@dot.gov. We look forward to working with you.

Sincerely,



Jennifer Timian
Chief, Recall Management Division
Office of Defects Investigations
Enforcement