

**Recall Quarterly Report****19V-116**

**Manufacturer Name :** Winnebago Industries, Inc  
**NHTSA Recall No. / MFR Recall No. :** 19V-116 /157  
**Recall Subject :** Wheelchair Lift may Raise too High/FMVSS 403  
**Owner Notification Beginning Date :** FEB 26, 2019  
**Owner Notification End Date:** FEB 28, 2019



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
4	DEC 31, 2019	2019-4	2	0	0	0
3	SEP 30, 2019	2019-3	2	0	0	0
2	JUL 03, 2019	2019-2	2	0	0	0
1	JUN 17, 2019	2019-1	2	0	0	0

This Document Last Updated : JAN 08, 2020

**Definitions :**

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.