

Part 573 Safety Recall Report

19V-226

Manufacturer Name : Watts Manufacturing, LLC**Submission Date :** MAR 22, 2019**NHTSA Recall No. :** 19V-226**Manufacturer Recall No. :** NR**Manufacturer Information :**

Manufacturer Name : Watts Manufacturing, LLC

Address : 230 S Broadway

Unit F Salina KS 67401

Company phone : 785-404-6003

Population :

Number of potentially involved : NR

Estimated percentage with defect : NR

Vehicle Information :

Vehicle 1 : 2019-2019 Ford F550 1st Responder

Vehicle Type : BUSES, MEDIUM & HEAVY VEHICLES

Body Style : 4-DOOR

Power Train : DIESEL

Descriptive Information : In Regards to Whelen Recall 18E-063

Production Dates : NOV 22, 2018 - JAN 01, 2019

VIN Range 1 : Begin :

NR

End : NR

 Not sequential**Description of Defect :**

Description of the Defect : For the recall population, the break light may activate if there is a transient voltage on the brake input line (e.g., without further brake input), but can be returned to normal operation when a brake input is applied and then removed. Whelen determined that the root cause of this condition was tied to transient voltage on the input line creating a false and steady activation of the brake light. The condition is dependent on the specific wiring of the vehicle and other installed equipment. The product functions normally if it is not exposed to these specific conditions, but the condition has the potential to occur in the entire recall population

FMVSS 1 : NR

FMVSS 2 : NR

Description of the Safety Risk : For the recall population, the brake light may activate if there is a transient voltage on the brake input line (e.g., without further brake input), but can be returned to normal operation when a brake input is applied and then removed

Description of the Cause : NR

Identification of Any Warning that can Occur : NR

Supplier Identification :**Component Manufacturer**

Name : Whelen Engineering Co Inc
Address : 51 Winthrop Rd
Chester CONNECTICUT 06475
Country : United States

Chronology :

NR

Description of Remedy :

Description of Remedy Program : NR
How Remedy Component Differs from Recalled Component : M6BTT
Identify How/When Recall Condition was Corrected in Production : NR

Recall Schedule :

Description of Recall Schedule : Watts Manufacturing, LLC was notified on March 19th, 2019 of the defect. We immediately contacted our dealer of our fire trucks and informed him then sent him a certified letter the next day.
Planned Dealer Notification Date : NR - NR
Planned Owner Notification Date : NR - NR

* NR - Not Reported