

**Recall Quarterly Report****19V-476**

**Manufacturer Name :** Forest River, Inc.  
**NHTSA Recall No. / MFR Recall No. :** 19V-476 /110-1035  
**Recall Subject :** Outside Kitchen not GFCI Protected  
**Owner Notification Beginning Date :** JUL 24, 2019  
**Owner Notification End Date:** JUL 29, 2019



| Report # | Submission Date | Report Quarter | Recall Population | Total Remedied | Total Unreachable | Total Removed |
|----------|-----------------|----------------|-------------------|----------------|-------------------|---------------|
| 3        | APR 13, 2020    | 2020-1         | 2,114             | 322            | 0                 | 0             |
| 2        | JAN 17, 2020    | 2019-4         | 2,114             | 160            | 0                 | 0             |
| 1        | OCT 21, 2019    | 2019-3         | 2,114             | 50             | 0                 | 0             |

This Document Last Updated : APR 13, 2020

**Definitions :**

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.