



Mercedes-Benz

Campaign No. 2019080010, September 2019

TO: ALL MERCEDES-BENZ CENTERS

SUBJECT: **Model GLA-Class vehicles (156 platform)**
Model Years 2018-2019
Check rear middle seat belt, correct if necessary

Daimler AG ("DAG"), the manufacturer of Mercedes-Benz vehicles, has determined that on certain Model Year ("MY") 2018- 2019 GLA-Class vehicles (156 platform), the left anchor plate for the rear middle seatbelt might not be bolted according to current production specifications. An authorized Mercedes-Benz dealer will check the left anchor plate for the rear middle seatbelt on the affected vehicles and, if necessary, correctly bolt it onto the vehicle body.

Prior to performing this Recall Campaign:

- Please check VMI to determine if the vehicle is involved in the Campaign and if it has been previously repaired. Always Check VMI for any open campaigns, and perform accordingly.
- Please review the entire Recall Campaign bulletin and follow the repair procedure exactly as described.

Please note that Recall Campaigns **do not expire** and may also be performed on a vehicle with a vehicle status indicator.

Approximately 3435 vehicles are involved.

Order No. P-RC-2019080010

This bulletin has been created and maintained in accordance with MBUSA-SLP S423QH001, Document and Data Control, and MBUSA-SLP S424HH001, Control of Quality Records.

Check procedure

1. Check whether seat belt end fitting of center rear seat belt is attached correctly.

1.1. Grasp seat belt strap of center rear seat belt in area of rear seat cushion and rear seat backrest and pull away from rear seat (**Figure 1**).

i It is possible that the seat belt end fitting of the center rear seat belt is not attached and is just jammed.



Figure 1

Work procedure

1. Remove rear seat cushion.

i For basic data, see **AR91.12-P-1020NKC**.

2. Remove threaded connection (**A, Figure 2**) of seat belt buckle (**B, Figure 2**) for left rear seat belt and seat belt end fitting for center rear seat belt.

3. Screw seat belt end fitting (**C, Figure 2**) for center rear seat belt to left seat belt buckle.

i Torque **35 Nm**.

i Order: Seat belt buckle, seat belt end fitting, nut.



Figure 2

Warranty Information**With check**

Operation: Check center rear seat belt (02-1280)

Damage Code	Operation Number	Labor Time (hrs.)
92 900 02 8	02-1280	0.1

With Check Work procedure

Operation: Check center rear seat belt (02-1280)
Correct center rear seat belt (after check) (02-1281)

Damage Code	Operation Number	Labor Time (hrs.)
92 900 02 8	02-1280	0.1
	02-1281	0.4

i Note

Operation labor times are subject to change.