

Recall Quarterly Report**21V-815**

Manufacturer Name : Ferrara Fire Apparatus, Inc.
NHTSA Recall No. / MFR Recall No. : 21V-815 /
Recall Subject : Improperly Crimped Lifting Cable
Owner Notification Beginning Date : NOV 05, 2021
Owner Notification End Date: NOV 12, 2021



| Report # | Submission Date | Report Quarter | Recall Population | Total Remedied | Total Unreachable | Total Removed |
|----------|-----------------|----------------|-------------------|----------------|-------------------|---------------|
| 6 | AUG 23, 2022 | 2023-1 | 1 | 1 | 0 | 0 |
| 5 | AUG 23, 2022 | 2022-4 | 1 | 1 | 0 | 0 |
| 4 | AUG 23, 2022 | 2022-3 | 1 | 1 | 0 | 0 |
| 3 | AUG 23, 2022 | 2022-2 | 1 | 1 | 0 | 0 |
| 2 | AUG 23, 2022 | 2022-1 | 1 | 1 | 0 | 0 |
| 1 | AUG 23, 2022 | 2021-4 | 1 | 1 | 0 | 0 |

This Document Last Updated : AUG 24, 2022

Definitions :

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.