

Spartan Chassis Recall - Power Steering Pump

Bulletin Type:	S	afety Recall] [Publication Date:	January 2022
Bulletin #(s):		21V-885 US L-701 Canadian		Make(s):	Entegra Coach
Chassis Recall #	Spartan 21V-752			Model(s):	Cornerstone
Flat Rate(s):	NA			Model Year(s):	2021
Incident:		Spartan RV Chassis is a division of Shyft Group and their number for this recall in the US is 21V-752. A machining defect may cause pressure to build in the power steering pump and break the shaft seal, resulting in a loss of power steering assist. A loss of power steering assist increases the risk of a crash.			
Affected Units:		2021 Entegra Coach Cornerstone Class A motorhomes. The affected vehicles are built on 2020-2022 K3 and K4 model Spartan RV Chassis equipped with a power steering pump supplied by ZF Active Safety and Electronics.			
Remedy:		The power steering pump will be reviewed. If the serial number falls within the serial number range of the affected pumps, it will be replaced at no charge. Reviewing the serial number should only take 1 hour. Replacing the power steering pump may take up to 3 hours. However, due to scheduling times the service provider may need your vehicle for longer. * <u>Call Spartan RV Chassis at 800-543-4277 to</u> locate a qualified service center.			
by Jayco in our sole discretion. J make parts and/or design chan incorporate such changes in pre performance and/or safety of th parts beyond the standard war	layco reserves the ges as appropria eviously manufac he unit. This field ranty period. The	ty is to repair or replace defective e right to use new and/or reman te without notice to anyone. Jayo tured product. Jayco makes ever remedy is not intended to exten- PRV owner's obligation to notify.	ve n nufo rco ry r nd t Jay	naterials and/or workmanship deem actured parts or materials of similar designs and/or materials changes ar reasonable effort to ensure field rem o future performance of this RV, or c uco, or one of its independent, autho	quality to complete any work, and to e done without obligation to edies will not adversely affect any of its materials, components or

903 South Main Street • P.O. Box 460 • Middlebury, IN 46540