

Safety Recall Code: 55M6

Subject

Rear Lid

Release Date

September 29, 2022

Affected Vehicles

| Country | Beginning Model Year | Ending Model Year | Vehicle | Vehicle Count |
|---------|----------------------------|-------------------------|---------------|------------------|
| USA | 2022 | 2022 | SQ5 SPORTBACK | 1 |
| CAN | 2022 | 2022 | Q5 SPORTBACK | 3 |
| CAN | 2022 | 2022 | SQ5 SPORTBACK | 3 |

Check Campaigns/Actions screen in Elsa on the day of repair to verify that a VIN qualifies for repair under this action. Elsa is the <u>only</u> valid campaign inquiry & verification source.

- ✓ Campaign status must show "open."
- ✓ If Elsa shows other open action(s), inform your customer so that the work can also be completed at the same time the vehicle is in the workshop for this campaign.

Problem Description

The connections that join the metal sheets to form the rear lid may have been improperly connected. In a crash, the rear lid lock may detach from the assembly or break. As a result, the stability of the rear lid might be influenced negatively, increasing the risk of injury.

Corrective Action

Replace the rear lid.

Code Visibility

On or about September 29, 2022, the campaign code will be applied to affected vehicles.

Owner Notification

Owner notification will take place in September 2022. Owner letter examples are included in this bulletin for your reference.

Additional Information

Please alert everyone in your dealership about this action, including Sales, Service, Parts and Accounting personnel. Contact Warranty if you have any questions.

IMPORTANT REMINDER ON VEHICLES AFFECTED BY SAFETY & COMPLIANCE RECALLS

New Vehicles in Dealer Inventory: It is a violation of federal law for a dealer to deliver a new motor vehicle or any new or used item of motor vehicle equipment (including a tire) covered by this notification under a sale or lease until the defect or noncompliance is remedied. By law, dealers must correct, prior to delivery for sale or lease, any vehicle that fails to comply with an applicable Federal Motor Vehicle Safety Standard or that contains a defect relating to motor vehicle safety.

<u>Pre-Owned Vehicles in Dealer Inventory:</u> Dealers should not deliver any pre-owned vehicles in their inventory which are involved in a safety or compliance recall until the defect has been remedied.

Dealers must ensure that every affected inventory vehicle has this campaign completed <u>before</u> <u>delivery to consumers</u>.

September 2022 55M6 Page 1 of 10

The repair information in this document is intended for use only by skilled technicians who have the proper tools, equipment and training to correctly and safely maintain your vehicle. These procedures are not intended to be attempted by "do-it-yourselfers," and you should not assume this document applies to your vehicle, or that your vehicle has the condition described. To determine whether this information applies, contact an authorized Audi dealer. ©2022 Audi of America, Inc. and Audi Canada. All Rights Reserved.

Parts Information

| Parts Control Type: Free Order | Parts will be managed by Free Order |
|-----------------------------------|-------------------------------------|
|-----------------------------------|-------------------------------------|

| Parts Control Type: VIN to Order | If parts are needed to support a vehicle repair: US Dealers - use AVA CAN Dealers - contact the Parts Specialists via phone (800-767-6552), email (VWoAPartsSpecialists@vw.com), or chat/text with the VIN to order |
|-------------------------------------|---|
|-------------------------------------|---|

| Initial Allocation: | There will be no parts allocation. Please reference the Repair Projection Tool (below) |
|---------------------|--|
| NO | to view your potential VIN population. |

| Repair Projection Tool: (right click to open) | Q |
|---|----------|
|---|----------|

| Criteria | Quantity | Part Number | P.O.C. Part Description | Ordering Method |
|----------|----------|------------------------------------|---|-----------------|
| | 1 | 80F-827-025 STL | LID | VIN To Order |
| | 1 | V04-017-001-GK | ATT.PARTS | |
| | 2 | 80A-945-191 | GASKET SET (seal kit for rear lights) | |
| | 1 | 80F-898-941 | PARTS KIT (fastening set for spoiler) | |
| 01 | 1 | 80F-853-742 2ZZ | AUDI SIGN | |
| | 1 | or | NAME PLATE (SQ5 Emblem) or NAME PLATE (Q5 Emblem) | Free Order |
| | 1 | 80A-898-940 or 80A-898-940-A | REPAIR KIT (spoiler seal) (confirm part number in ETKA) | |

() NOTE

The specified part numbers reflect the status at the start of this action. Interim updates made in ETKA can cause a listed part number to become unavailable. In this case, the new part number specified in ETKA should be used.

The information in this document is intended for use only by skilled technicians who have the proper tools, equipment and training to correctly and safely maintain your vehicle. These procedures are not intended to be attempted by "do-it-yourselfers," and you should not assume this document applies to your vehicle, or that your vehicle has the condition described. To determine whether this information applies, contact an authorized Audi dealer. ©2022 Audi Group of America, Inc. and Audi Canada. All Rights Reserved.

September 2022 55M6 Page 2 of 10

Claim Entry Instructions

The labor times listed here may differ from the labor operations and labor times listed in ELSA.

After campaign has been completed, enter claim as soon as possible to help prevent work from being duplicated elsewhere. Attach the Elsa screen print showing action <u>open on the day of repair</u> to the repair order. If customer refused campaign work:

- √ U.S. dealers: Submit the request through Audi Warranty Online under the Campaigns/Update option.
- ✓ <u>Canada dealers:</u> Upload the repair order [signed by customer] to Audi WIN/Operations/Campaign Closure.

| V <u>Carlada dealers.</u> U | pload the repair order [signed by customer] to Addi Wilv/Operations/Campaign Closure. | | | | |
|-----------------------------|---|--------------------------|--|--|--|
| Service Number | 55M6 | | | | |
| Damage Code | 0099 | | | | |
| Parts Vendor Code | 002 | | | | |
| Claim Type | Sold vehicle: 7 | 10 | | | |
| | Unsold vehicle: | Unsold vehicle: 7 90 | | | |
| Causal Indicator | Mark LID* as ca | Mark LID* as causal part | | | |
| Vehicle Wash/Loaner | Do not claim wa | ash/loaner under this ac | tion | | |
| Criteria I.D. | 01 | | | | |
| | NOTE: All claims will stop for review | | | | |
| | LABOR | | | | |
| | Labor Op | Time Units | Description | | |
| | SEE ELSA | SEE ELSA | As required per ELSA if any portion of the repair is performed at the dealership | | |
| | 9143 15 50 50 Back-up camera adju | | Back-up camera adjust | | |
| | 2706 89 50 10 Connect battery charger (if ne | | Connect battery charger (if necessary) | | |
| | 0150 00 00 Time stated on diagnostic protocol GFF Operations (if necessar | | GFF Operations (if necessary) | | |
| | PARTS | | | | |
| | Quantity Part Number Description | | Description | | |
| | 1.00 80F827025 STL LID* | | LID* | | |
| | 1.00 | V04017001GK | ATT.PARTS | | |
| | 2.00 | 80A945191 | GASKET SET | | |
| | 1.00 80F898941 | | PARTS KIT | | |
| | 1.00 80F853742 2ZZ AUDI SIGN | | AUDI SIGN | | |
| | 1.00 | 8R0853735 2ZZ or | INSCRIPTION CHROME (SQ5 emblem) | | |
| | 1.00 | 8R0853741 2ZZ | ABOR Description As required per ELSA if any portion of the repair is performed at the dealership Back-up camera adjust Connect battery charger (if necessary) GFF Operations (if necessary) PARTS Description LID* ATT.PARTS GASKET SET PARTS KIT AUDI SIGN | | |
| | 80A898940 REPAIR KIT | | | | |

Continued on next page

September 2022 55M6 Page 3 of 10

| | OUTSIDE LABOR | /MATERIAL (if require | ed) |
|---|---------------|---------------------------|-----------------------|
| Quantity/Time | Part Number | Description | Amount |
| As Needed (Max labor = 7.7 hours) | As Needed | Paint materials and labor | Per body shop invoice |

The repair information in this document is intended for use only by skilled technicians who have the proper tools, equipment and training to correctly and safely maintain your vehicle. These procedures are not intended to be attempted by "do-it-yourselfers," and you should not assume this document applies to your vehicle, or that your vehicle has the condition described. To determine whether this information applies, contact an authorized Audi dealer. ©2022 Audi of America, Inc. and Audi Canada. All Rights Reserved.

September 2022 55M6 Page 4 of 10

Customer Letter Example (USA)

<MONTH YEAR>

<CUSTOMER NAME> <CUSTOMER ADDRESS> <CUSTOMER CITY STATE ZIPCODE>

This notice applies to your vehicle: <MODEL YEAR> <BRAND> <CARLINE>, <VIN>

NHTSA: 22V567

Subject: Safety Recall 55M6 - Rear Lid

Dear Audi Owner.

This notice is sent to you in accordance with the National Traffic and Motor Vehicle Safety Act. Audi has decided that a defect, which relates to motor vehicle safety, exists in certain 2022 model year Audi vehicles. Our records show that you are the owner of a vehicle affected by this action.

What is the issue? The connections that join the metal sheets to form the rear lid may have been improperly connected. In a crash, the rear lid lock may detach from the assembly or break. As a result,

the stability of the rear lid might be influenced negatively, increasing the risk of injury.

What will we do? To correct this defect, your authorized Audi dealer will replace the rear lid. This work may take

up to a week or more to complete and will be performed for you free of charge. Please keep in mind that your dealer may need additional time for the preparation of the repair, as well

as to accommodate their daily workshop schedule.

What should you do? Please contact your authorized Audi dealer without delay to schedule this recall work. For your

convenience, you can also visit www.audiusa.com and click on the "Find a Dealer" link to locate

a dealer near you and schedule this service.

Lease vehicles and If you are the lessor and registered owner of the vehicle identified in this action, the law requires address changes you to forward this letter immediately via first-class mail to the lessee within ten (10) days of

receipt. If you have changed your address or sold the vehicle, please fill out the enclosed

prepaid Owner Reply card and mail it to us so we can update our records.

Can we assist you

If your authorized Audi dealer fails or is unable to complete this work free of charge within a further? reasonable time, please contact Audi Customer Experience at 1-800-253-2834 or via our

"Contact Us" page at www.audiusa.com.

Checking your vehicle To check your vehicle's eligibility for repair under this or any other recall/service campaign, for open Recalls and please visit the Recall/Service Campaign Lookup tool at www.audiusa.com and enter your

Service Campaigns Vehicle Identification Number (VIN).

If you still cannot obtain satisfaction, you may file a complaint with: The Administrator, National Highway Traffic Safety Administration, 1200 New Jersey Avenue, SE., Washington, DC 20590; or call the toll-free Vehicle Safety Hotline at 1-888-327-4236 (TTY: 1-800-424-9153); or go to http://www.safercar.gov.

We apologize for any inconvenience this matter may cause; however we are taking this action to help ensure your safety and continued satisfaction with your vehicle.

Sincerely,

Audi Customer Protection

Customer Letter Example (Canada)

<MONTH YEAR>

<CUSTOMER NAME>

<CUSTOMER ADDRESS>

<CUSTOMER CITY STATE ZIPCODE>

This notice applies to your vehicle: <MODEL YEAR> <BRAND> <CARLINE>, <VIN>

Transport Canada Recall: 2022-455 Subject: Safety Recall 55M6 - Rear Lid

Dear Audi Owner,

This notice is sent to you in accordance with the requirements of the *Motor Vehicle Safety Act*. This is to inform you that your vehicle may contain a defect that could affect the safety of a person. Our records show that you are the owner of a vehicle affected by this action.

What is the issue?

The connections that join the metal sheets to form the rear lid may have been improperly connected. In a crash, the rear lid lock may detach from the assembly or break. As a result, the stability of the rear lid might be influenced negatively, increasing the risk of injury.

What will we do?

To correct this defect, your authorized Audi dealer will replace the rear lid. This work may take up to a week or more to complete and will be performed for you free of charge. Please keep in mind that your dealer may need additional time for the preparation of the repair, as well as to accommodate their daily workshop schedule.

What should you do? Please contact your authorized Audi dealer without delay to schedule this recall work.

Lease vehicles and address changes

If you are the lessor and registered owner of the vehicle identified in this letter, you shall forward this letter (and any subsequent notice, if applicable) to the lessee within ten (10) days of receipt. If you have changed your address or sold the vehicle identified in this letter, please fill out the enclosed prepaid Owner Reply Card and mail it to us so we can update our records.

Can we assist you further?


If your authorized Audi dealer fails or is unable to complete this work free of charge within a reasonable time, please contact Audi Customer Relations Monday through Friday from 8AM to 8PM EST at 1-800-822-2834 or via our "Contact Audi Canada" page at www.audi.ca.

We apologize for any inconvenience this matter may cause; however we are taking this action to help ensure your safety and continued satisfaction with your vehicle.

Sincerely,

Audi Customer Protection

Repair Overview



Replace rear lid.

• NOTE


- These repair instructions may differ from the labor operations and labor times listed in ELSA.
- Damages resulting from improper repair or failure to follow these work instructions are the dealer's responsibility and are not eligible for reimbursement under this action.
- This procedure must be read in its entirety prior to performing the repair.
- Due to variations in vehicle equipment and options, the steps/illustrations in this work procedure may not identically match all affected vehicles.
- Diagnosis and repair of pre-existing conditions in the vehicle are not covered under this action.
- When working during extreme temperatures, it is recommended that the vehicle be allowed to acclimate inside the shop to avoid temperature-related component damage/breakage.


The repair information in this document is intended for use only by skilled technicians who have the proper tools, equipment and training to correctly and safely maintain your vehicle. These procedures are not intended to be attempted by "do-it-yourselfers," and you should not assume this document applies to your vehicle, or that your vehicle has the condition described. To determine whether this information applies, contact an authorized Audi dealer. ©2022 Audi of America, Inc. and Audi Canada. All Rights Reserved.

September 2022 55M6 Page 7 of 10

Repair Instruction

Section A - Check for Previous Repair





• Enter the VIN in Elsa and proceed to the "Campaign/Action" screen.



On the date of repair, print this screen and keep a copy with the repair order.

- Confirm the Campaign/Action is open <arrow 1>. If the status is closed, no further work is required.
- Note the Applicable Criteria ID <arrow 2> for use in determining the correct work to be done and corresponding parts associated.




open, they must be performed in order of the Start date <arrow 3>. The oldest should be performed first.

- All Safety Recalls must be completed prior to completing this campaign.
- Proceed to Section B.


The repair information in this document is intended for use only by skilled technicians who have the proper tools, equipment and training to correctly and safely maintain your vehicle. These procedures are not intended to be attempted by "do-it-yourselfers," and you should not assume this document applies to your vehicle, or that your vehicle has the condition described. To determine whether this information applies, contact an authorized Audi dealer. ©2022 Audi of America, Inc. and Audi Canada. All Rights Reserved.

September 2022 55M6 Page 8 of 10

Section B - Repair Procedure



- Replace the rear lid according to the ELSA Repair Manual.
- Transfer the rear glass.
- Transfer the rear spoiler.
- Work with your preferred body shop to have the repairs completed, if necessary.



 After rear lid is replaced, calibrate the rearview camera. See ELSA Repair Manual: Repair manual > Electrical System > Communication > 91 Communication > Rearview Camera System > Rearview Camera System, Calibrating

Proceed to Section C

September 2022 55M6 Page 9 of 10

Section C - Campaign Completion Stamp

| I certify that this campaign has been performed in strict accordance with the applicable Audi repair procedure. | | |
|--|--|--|
| SAGA Code: | | |
| Technician: | | |
| Date: | | |

Item#: AUD4927ENG

-OR-

| Je certifie que cette campagne de rappel a été exécutée suivant les strictes directives de réparation d'Audi |
|--|
| Code de SAGA: |
| Technicien: |
| Date: |

Item # AUD4927FRE

Once the campaign has been completed, the technician should stamp the repair order.

- Stamps are available for ordering through the Compliance Label Ordering Portal.
- Proceed to Section D

Section D - Parts Return/Disposal

Properly store (retain), destroy or dispose of removed parts in accordance with all state/province and local requirements, unless otherwise indicated and/or requested through the Warranty Parts Portal (WPP) for U.S. and the Part Destruction and Core Disposition Report for Canada.

The repair information in this document is intended for use only by skilled technicians who have the proper tools, equipment and training to correctly and safely maintain your vehicle. These procedures are not intended to be attempted by "do-it-yourselfers," and you should not assume this document applies to your vehicle, or that your vehicle has the condition described. To determine whether this information applies, contact an authorized Audi dealer. ©2022 Audi of America, Inc. and Audi Canada. All Rights Reserved.

September 2022 55M6 Page 10 of 10