#### OMB Control No.: 2127-0004

# Part 573 Safety Recall Report

## 22V-869

Manufacturer Name: Navistar, Inc.
Submission Date: NOV 23, 2022
NHTSA Recall No.: 22V-869
Manufacturer Recall No.: 22524



#### **Manufacturer Information:**

Manufacturer Name: Navistar, Inc.

Address: 2701 Navistar Drive

Lisle IL 60532

Company phone: 331-332-1590

## **Population:**

Number of potentially involved: 25,822 Estimated percentage with defect: 100 %

## **Vehicle Information:**

Vehicle 1: 2023-2023 IC 1300 FBC

Vehicle Type: BUSES, MEDIUM & HEAVY VEHICLES

Body Style: OTHER Power Train: DIESEL

Descriptive Information: •

- The suspect population is identified by models built with non-conforming hex flange lock nuts that did not fail at time of vehicle assembly.
- The inclusive dates of manufacture were determined by when Navistar began use of non-conforming hex flange lock nuts and when the issue was corrected in

production.

• The vehicles in the suspect population were built with non-conforming hex flange lock nuts and all other similar vehicles not in the suspect population were built with conforming hex flange lock nuts.

There are 103 1300 FBC commercial buses in the suspect population

Production Dates: MAR 04, 2022 - MAR 28, 2022

Vehicle 2:	2023-2023 IC C	E			
Vehicle Type :	BUSES, MEDIUM	I & HEAVY VEH	ICLES		
Body Style :					
Power Train :					
Descriptive Information :					
Production Dates :			<b>I</b>	rrr	
VIN Range 1:		NR	End: NR		☐ Not sequential
- VII Wange 1.	Deg		Liid. IVIV		
Vehicle 3:	2021-2022 Inte	rnational CV			
Vehicle Type :	BUSES, MEDIUM	I & HEAVY VEH	ICLES		
Body Style :	OTHER				
Power Train:	DIESEL				
Descriptive Information :	<ul> <li>flange lock nuts</li> <li>The incluse of non-conformation.</li> <li>The vehing lock nuts with conforming</li> </ul>	that did not fail usive dates of m orming hex flan icles in the susp and all other si g hex flange lock	at time of vehicle nanufacture were ge lock nuts and vect population we milar vehicles no	e assembly. determined by when the issue wa ere built with non t in the suspect po	
<b>Production Dates :</b>	JAN 18, 2022 - A	UG 12, 2022			
VIN Range 1:	Begin:	NR	End: NR		■ Not sequential

Vehicle 4	: 2023-2023 Inte	rnational M	V	
Vehicle Type	: BUSES, MEDIUN	1 & HEAVY V	EHICLES	
Body Style	: OTHER			
Power Train	: HYBRID ELECT	RIC		
Descriptive Information				
Production Dates	: MAR 24. 2022 -	AUG 16. 202	2	
VIN Range 1		NR	End: NR	☐ Not sequential
	U			_ :
Vehicle 5	: 2022-2023 Inte	rnational H\	I	
Vehicle Type	: BUSES, MEDIUN	1 & HEAVY V	EHICLES	
Body Style	: OTHER			
Power Train	: DIESEL			
Descriptive Information	<ul> <li>The suspect population is identified by models built with non-conforming hex flange lock nuts that did not fail at time of vehicle assembly.</li> <li>The inclusive dates of manufacture were determined by when Navistar began use of non-conforming hex flange lock nuts and when the issue was corrected in production.</li> <li>The vehicles in the suspect population were built with non-conforming hex flange lock nuts and all other similar vehicles not in the suspect population were built with conforming hex flange lock nuts.</li> <li>There are 1,419 HV series trucks in the suspect population</li> </ul>			
<b>Production Dates</b>	: JAN 18, 2022 - A	UG 16, 2022	2	
VIN Range 1	: Begin :	NR	End: NR	☐ Not sequential

Vehicle 6:	2023-2023 Inte	ernational H	IX		
Vehicle Type :	BUSES, MEDIUI	M & HEAVY	VEHICLES		
Body Style :					
Power Train :					
Descriptive Information :	<ul> <li>The incuse of non-configured production.</li> <li>The veriflange lock nuts with conforming</li> </ul>	s that did no lusive dates forming hex nicles in the s and all oth ng hex flange	ot fail at time of vehicle a s of manufacture were d flange lock nuts and wl suspect population wer er similar vehicles not i	letermined by when Navistar began hen the issue was corrected in re built with non-conforming hex in the suspect population were buil	
Production Dates:	FEB 13, 2022 -	AUG 16, 202	22		
VIN Range 1:	Begin:	NR	End: NR	☐ Not sequential	
Vehicle 7:	2023-2023 Inte	ernational L	oneStar		
Vehicle Type :	BUSES, MEDIU	M & HEAVY	VEHICLES		
Body Style :	OTHER				
Power Train :	DIESEL				
Descriptive Information :	flange lock nuts that did not fail at time of vehicle assembly.  The inclusive dates of manufacture were determined by when Navistar began use of non-conforming hex flange lock nuts and when the issue was corrected in production.  The vehicles in the suspect population were built with non-conforming hex flange lock nuts and all other similar vehicles not in the suspect population were built with conforming hex flange lock nuts.  There are 118 LoneStar series trucks in the suspect population				
Production Dates :				_	
VIN Range 1:	Begin:	NR	End: NR	☐ Not sequential	

Vehicle 8:	2023-2023 Inte	rnational LT		
Vehicle Type :	BUSES, MEDIUN	I & HEAVY VE	CHICLES	
Body Style :				
Power Train :	DIESEL			
Descriptive Information :	<ul> <li>flange lock nuts</li> <li>The incluse of non-confeproduction.</li> <li>The veh flange lock nuts with conforming</li> </ul>	that did not fusive dates of orming hex flaticles in the sure and all other great flange logger	ail at time of vehicle manufacture were ange lock nuts and spect population w similar vehicles no	e determined by when Navistar began when the issue was corrected in were built with non-conforming hex of in the suspect population were built
Production Dates :	FEB 13. 2022 - A	UG 16. 2022	•	• •
VIN Range 1:		NR	End: NR	☐ Not sequential
				•
Vehicle 9:	2023-2023 Inte	rnational MV		
Vehicle Type :	BUSES, MEDIUN	I & HEAVY VE	EHICLES	
Body Style :				
Power Train :	DIESEL			
Descriptive Information :	<ul> <li>The incluse of non-confeproduction.</li> <li>The veh flange lock nuts with conforming</li> </ul>	that did not fusive dates of orming hex flaticles in the suand all other ghex flange lo	ail at time of vehicle manufacture were ange lock nuts and spect population w similar vehicles no	e determined by when Navistar began when the issue was corrected in were built with non-conforming hex of in the suspect population were built
<b>Production Dates :</b>	JAN 18, 2022 - A	UG 16, 2022		
VIN Range 1:	Begin:	NR	End: NR	☐ Not sequential

Vehicle 10:	2023-2023 Inte	rnational MV		
Vehicle Type :	BUSES, MEDIUN	1 & HEAVY VEH	IICLES	
Body Style :	OTHER			
Power Train :	CNG/LPG			
Descriptive Information :	<ul> <li>flange lock nuts</li> <li>The incluse of non-confeproduction.</li> <li>The veh flange lock nuts with conforming</li> </ul>	that did not fai usive dates of norming hex flan icles in the susp and all other signers flange loc	l at time of vehic nanufacture wer ige lock nuts and pect population v imilar vehicles no	e determined by when Navistar began when the issue was corrected in were built with non-conforming hex ot in the suspect population were built
Production Dates :	FEB 14. 2022 - A	UG 12. 2022	•	• •
VIN Range 1:		NR	End: NR	☐ Not sequential
				· · · · · · · · · · · · · · · · · · ·
Vehicle 11:	2023-2023 IC R	E		
<b>V</b>	BUSES, MEDIUN	1 & HEAVY VEH	IICLES	
Body Style :				
Power Train :	DIESEL			
Descriptive Information :	<ul> <li>The incluse of non-confeproduction.</li> <li>The veh flange lock nuts with conforming</li> </ul>	that did not fai usive dates of norming hex flan icles in the susp and all other signers.	l at time of vehic nanufacture wer ige lock nuts and pect population v milar vehicles no	e determined by when Navistar began when the issue was corrected in were built with non-conforming hex ot in the suspect population were built
Production Dates:	MAY 12, 2022 -	AUG 10, 2022		
VIN Range 1:	Begin:	NR	End: NR	■ Not sequential

Vehicle	12:	2023-2023	International l	RH
---------	-----	-----------	-----------------	----

Vehicle Type: BUSES, MEDIUM & HEAVY VEHICLES

Body Style : OTHER Power Train : DIESEL

**Descriptive Information:** •

- The suspect population is identified by models built with non-conforming hex flange lock nuts that did not fail at time of vehicle assembly.
- The inclusive dates of manufacture were determined by when Navistar began use of non-conforming hex flange lock nuts and when the issue was corrected in production.
- The vehicles in the suspect population were built with non-conforming hex flange lock nuts and all other similar vehicles not in the suspect population were built with conforming hex flange lock nuts.

There are 1,361 RH series trucks in the suspect population

Production Dates: FEB 13, 2022 - AUG 16, 2022

Vehicle 13: 2023-2023 IC TC

Vehicle Type: BUSES, MEDIUM & HEAVY VEHICLES

Body Style : OTHER Power Train : DIESEL

**Descriptive Information:** •

- The suspect population is identified by models built with non-conforming hex flange lock nuts that did not fail at time of vehicle assembly.
- The inclusive dates of manufacture were determined by when Navistar began use of non-conforming hex flange lock nuts and when the issue was corrected in production.
- The vehicles in the suspect population were built with non-conforming hex flange lock nuts and all other similar vehicles not in the suspect population were built with conforming hex flange lock nuts.

There are 110 TC commercial buses in the suspect population

Production Dates: JAN 18, 2022 - JUN 10, 2022

## **Description of Defect:**

Description of the Defect : •

- A specific hex flange lock nut (P/N 416743C2) was not properly formed and heat treated to Navistar specification. This lock nut is used in several joint locations on a chassis:
- o pitman arm pinch bolt joints
- o steering gear mounting joints
- o front axle U-bolt joints
- o front and rear spring eyes
- o certain rear spring tie
- All vehicles contain at least one suspect bolted joint, but due to vehicle configuration, not all vehicles will require all joints to be repaired.

FMVSS 1: NR FMVSS 2: NR

Description of the Safety Risk: Improperly manufactured nuts that did not immediately fail during vehicle

assembly can result in a loss of joint tension as the vehicle ages. This nut is used mainly in suspension (front/rear) and steering gear joints. Loss of tension in these joints may affect vehicle handling which could contribute to a

vehicle crash.

Description of the Cause: A tier 3 supplier was found to not have adequate heat treat furnace controls to

ensure consistent nut surface hardness. In addition, this supplier's tooling was

found to be worn, contributing to mis-formed threads.

Identification of Any Warning A general 'loose' feeling when driving.

that can Occur:

## **Involved Components:**

Component Name 1: 3/4" – 16 hex flange lock nut

Component Description: Hex flange lock nut

Component Part Number: International P/N 416743C2

### **Supplier Identification:**

#### **Component Manufacturer**

Name: Facil NA

Address: 2242 Pinnacle Pkwy #100

Twinsburg Ohio 44087

**Country: United States** 

## **Chronology:**

- 08/16/2022 Navistar Supplier Quality communicates the concerns of certain hex flange lock nuts stripping at time of vehicle assembly.
- 08/26/2022 Navistar quarantines all vehicles at all assembly plants.
- 09/14/2022 Navistar Supplier Quality and Compliance meet with Engineering to discuss the issue and Engineering initiates investigation to determine full use of certain hex flange lock nuts.
- 09/22/2022 through 11/02/2022 Navistar performs multiple tests to certain hex flange lock nuts returned to Navistar.
- 11/04/2022 Navistar initiates risk assessment on over 300 features.
- 11/16/2022 Navistar completes its risk assessment and determines the impact to all International

#### and IC Bus vehicles

- 11/17/2022 Navistar finalizes the suspect population.
- 11/18/2022 Navistar declares a Safety Recall. As of this time no warranty claims or field failures have occurred in the suspect population.

## **Description of Remedy:**

Description of Remedy Program: •

- The remedy will involve replacing all suspect hex flange lock nuts with hex flange lock nuts made to their design specifications.
- Navistar's plan for reimbursement of pre-notification remedies, on file with NHTSA and dated 05/06/2022, applies and reimbursement instructions will be included in the customer notification.

How Remedy Component Differs The remedy hex flange lock nuts are made to the specified form and from Recalled Component: surface hardness where the recalled hex flange lock nuts were not.

Identify How/When Recall Condition 08/26/2022 - Navistar quarantines all vehicles at all plants and begins use was Corrected in Production: of hex flange lock nuts manufactured to their specified design values.

#### **Recall Schedule:**

Description of Recall Schedule: It is estimated that the Customer and Dealer notification letters will be

mailed by 01/20/2023.

Planned Dealer Notification Date: JAN 20, 2023 - JAN 20, 2023 Planned Owner Notification Date: JAN 20, 2023 - JAN 20, 2023

\* NR - Not Reported