



U.S. Department of Transportation
**National Highway Traffic Safety
Administration**

1200 New Jersey Avenue SE
Washington, DC 20590

April 26, 2023

Mr. Mike Becker
Director of Corporate Compliance
Forest River, Inc.
2324 Century Drive
Goshen, IN 46528

NEF-107KL
23V-286

Subject: Generator Set Fuel Hose May Cause Gas Leak

Dear Mr. Becker:

This letter serves to acknowledge Forest River, Inc.'s notification to the National Highway Traffic Safety Administration (NHTSA) of a safety recall which will be conducted pursuant to Federal law for the product(s) listed below. Please review the following information to ensure that it conforms to your records as this information is being made available to the public. If the information does not agree with your records, please contact us immediately to discuss your concerns.

Makes/Models/Model Years:

COACHMEN/BEYOND/2021-2023
COACHMEN/GALLERIA/2021-2023
COACHMEN/NOVA/2021-2024
FOREST RIVER/FORESTER/2021-2023
FOREST RIVER/SUNSEEKER/2021-2023

Mfr's Report Date: April 21, 2023

NHTSA Campaign Number: 23V-286

Components:

FUEL SYSTEM, GASOLINE:DELIVERY:HOSES, LINES/PIPING, AND FITTINGS

Potential Number of Units Affected: 1,381

Problem Description:

Forest River, Inc. (Forest River) is recalling certain 2021-2023 Coachmen Galleria, Beyond, Forester, Sunseeker, and 2021-2024 Nova motorhomes, equipped with certain Cummins Onan QG 2800i, and Onan QG 2800i EVAP generator sets. The fuel hose between the inline fuel filter and the Injection Pump Module (IPM) may have inadequate clamp force, possibly resulting in a gasoline leak.

Consequence:

A gas leak in the presence of an ignition source increases the risk of a fire.

Remedy:

Cummins Dealers will inspect and replace the fuel hose and clamps, as necessary, free of charge. Owner notification letters are expected to be mailed May 23, 2023. Owners may contact Cummins at: (800) CUMMINS OR (800) 286-6467. Owners may contact Forest River Customer Service at 1-574-206-7600, or Coachmen Class B customer service at 1-574-825-8602. Forest River's number for this recall is 51-1626.

Notes:

Owners may also contact the National Highway Traffic Safety Administration Vehicle Safety Hotline at 1-888-327-4236 (TTY 1-800-424-9153), or go to www.nhtsa.gov.

Please be reminded of the following requirements:

You are required to submit a draft owner notification letter to this office no less than five days prior to mailing it to the customers. Also, copies of all notices, bulletins, dealer notifications, and other communications that relate to this recall, including a copy of the final owner notification letter and any subsequent owner follow-up notification letter(s), are required to be submitted to this office no later than 5 days after they are originally sent (if they are sent to more than one manufacturer, distributor, dealer, or purchaser/owner).

Please be reminded that under 49 U.S.C. § 30112(a)(3), it is illegal for a manufacturer, to sell, offer for sale, import, or introduce or deliver into interstate commerce, a motor vehicle or item of motor vehicle equipment that contains a safety defect once the manufacturer has notified NHTSA about that safety defect. This prohibition does not apply once the motor vehicle or motor vehicle equipment has been remedied according to the manufacturer's instructions.

As stated in 49 U.S.C. § 30118(f), submission of eight consecutive quarterly reports followed by three annual reports is required. As described in 573.7, submission of the first of eight consecutive quarterly status reports is required within one month after the close of the calendar quarter in which notification to purchasers occurs. Therefore, the first quarterly report will be due on, or before, 30 days after the close of the calendar quarter. The first of three consecutive annual status reports will be due on, or before, 1 year after the eighth quarterly report was submitted.

Forest River, Inc.'s contact for this recall will be Kristin Lepper who may be reached by email at kristin.lepper@dot.gov. We look forward to working with you.

Sincerely,



Alex Ansley
Chief, Recall Management Division
Office of Defects Investigation
Enforcement