Service Bulletin

15-026

May 20, 2015 01863 Version 1

2016 RLX Sport Hybrid: TQI of the Navigation System

AFFECTED VEHICLES

Year	Model	Trim Level
2016	RLX Sport Hybrid	All

INTRODUCTION

This bulletin covers the total quality inspection (TQI), including testing, of the navigation system. It includes these topics:

1.	Navigation System Controls	6.	Map Coverage Areas
2.	Voice Control System	7.	AcuraLink Real-Time Traffic Information
3.	Navigation System Setup at the TQI	8.	Pandora [®] and Aha™ Interface
4.	Rearview Camera	9.	Short Message Service (SMS) Text Message/E-Mail Function
5.	Troubleshooting		

For more information about this system, see these resources:

- Navigation Manual Besides the one that comes on the Owner's CD, this manual is also online. Select **Search by Vehicle**, select the vehicle, then enter keywords **NAVI MANUAL**.
- Owner's Manual Besides the one that comes on the Owner's CD, this manual is also online. Select Search by Vehicle, select the vehicle, then enter keywords OWN MANUAL.
- Online University Log in and select SALES. Under Quick Links, select Course Catalog, then enter keyword NAVI in the search box.

CLAIM INFORMATION

The flat rate time for the TQI of the navigation system is included as part of the regular TQI of the vehicle.

CLIENT INFORMATION: The information in this bulletin is intended for use only by skilled technicians who have the proper tools, equipment, and training to correctly and safely maintain your vehicle. These procedures should not be attempted by "do-it-yourselfers," and you should not assume this bulletin applies to your vehicle, or that your vehicle has the condition described. To determine whether this information applies, contact an authorized Acura automobile dealer.

1. NAVIGATION SYSTEM CONTROLS


Use the following buttons to operate the navigation system. For more information about them, see "Getting Started" in the navigation manual.



2. VOICE CONTROL SYSTEM

The navigation system features a voice control system that lets you work most of the navigation, HVAC, and audio controls with just your voice. To interact with the system, use the Talk and Hang-Up/Back buttons. This is the primary way to give commands to the system.

STEERING WHEEL



CEILING CONSOLE



Talk button – To give a voice command, press and release this button, wait for the beep, and give the command.

Hang-Up/Back button – Press and release this button to return to the previous screen.

Microphone - Picks up your voice commands

NOTE: If the system does not understand your commands, see "Improving Voice Recognition" in the navigation manual.

3. NAVIGATION SYSTEM SETUP AT THE TQI

The navigation system is basically ready to use when the vehicle is delivered to the dealership. The system has features to reduce the chance of driver distraction. Some touch screen menus are limited or unavailable (grayed out) while driving to encourage using voice commands for the navigation and audio systems.

Since the navigation system interfaces with other vehicle systems, it is important that all of the systems are initialized. To initialize the navigation system, follow these steps:

- 1. Do the regular TQI of the vehicle.
- 2. You may see the factory **In Line Diag** screen below. If so, do the following or the screen will come back every time the engine is started. If not, go to step 3.



- Select Start Diag.
- Press all of the buttons on the steering wheel that are shown in the In Line Diag screen. The icons should turn green.
- Make a loud sound (like snapping your fingers or clapping your hands) by the microphone to complete the mic test.
- When you have completed all of the tests, the icons will be green. Select Exit Diag to exit the screen.
- Turn the ignition to OFF, then to ON to make sure the In Line Diag screen does not reappear.
- 3. Start the engine, and park the vehicle in an open area away from trees, power lines, and tall buildings. Remove loose articles, cell phones, and electrical accessories near the GPS antenna. If needed, press the audionavigation power button to turn on the audio-navigation unit. When the **Enter code** screen appears, press and hold the power button for about 2 seconds. This lets the PCM check that the vehicle's VIN matches the one saved in the unit. You will hear a long beep when the unit exits the anti-theft mode. Release the button.




NOTE:

• If the audio-navigation unit does not exit the anti-theft mode, enter the anti-theft code using the audio touch screen display. There are two code labels in a small plastic bag in the glove box. Each label has the five-digit anti-theft code and the audio-navigation unit serial number printed on it.




- If the code label is lost or unavailable, you can get the anti-theft code from the iN (Interactive Network)
 using the audio-navigation unit serial number. You do not need to remove the unit to get the serial number.
 To get the serial number and the code do this:
 - Press and hold the MENU, NAV, and BACK buttons at the same time.
 - At the Select Diagnosis Items screen, select Detail Information & Settings, Unit Check, then ECU Info. The system runs a short diagnostic then the audio-navigation unit serial number appears at the bottom of the screen.
 - Go to Anti-theft Code Inquiry on the iN, and look up the five-digit anti-theft code.
 - If the code does not work, call the American Honda warranty department at 310-783-3240. Do not call Tech Line.
- 4. Attach one of the code labels to the TQI repair order. The other one should be given to the client for safekeeping, rather than left in the vehicle.
- 5. After the VIN check is complete, this screen appears, telling you the system is initializing (acquiring its location from the GPS satellites). Keep watching the screen.



NOTE: Initialization averages about 10 minutes, but it can take as long as 45 minutes. If it completes within 10 minutes, the screen changes to the globe screen.

6. If the system does not initialize within 10 minutes, a second screen (shown below) appears. The system is still initializing, but it will not automatically change to the globe screen when the initialization is complete. **Do not** follow the screen instructions right away. After 30 minutes, try restarting the engine to see if the system completed the initialization. If it did not, then follow the screen instructions.



NOTE: The initialization screen may appear after battery voltage to the audio-navigation unit has been disconnected for more than 5 minutes. If this happens, follow the screen instructions. If you are still unable to get GPS initialization, see the electronic service manual for diagnostic information.

7. When initialization is complete, this screen appears. Select **OK**.



NOTE: Do not enter a destination yet. For the navigation system to calculate a route, it must align the current location to a mapped road (map matching). This happens when you start driving.

8. Make sure the XM Satellite Radio dealer demo account is active by tuning to several channels within the full XM lineup. To see the full list of channels, go to www.siriusxm.com. If you get those channels, the demo account is fully active.

NOTE: XM Satellite Radio is free to clients for the first 90 days. To keep getting coverage after that, they must subscribe by calling **800-852-9696** or going to *www.siriusxm.com*. They will need their eight-character radio ID (shown when tuned to channel **0**) and a major credit card.

- 9. Drive the vehicle at least a half-mile from your dealership, and find a safe place to park. Then set the map scale to 1/20.
 - Make sure the VP (vehicle position) icon moves smoothly as you drive and does not jerk from one point to another. Also make sure the icon points in the direction the vehicle is traveling; it should not dog track or spin.
 - After driving a few hundred feet, you should see the name of the road you are driving on at the bottom of the screen. The system is now map-matched.

NOTE: If the system fails to map-match after driving for more than a couple of miles on a displayed road, see the electronic service manual symptom troubleshooting.

- 10. With the map screen shown, press and release the Talk button.
- 11. When you hear the beep, say "Find the nearest Acura dealer." You should see a list of Acura dealers.
- 12. Turn the interface dial to highlight your dealership, then push the ENTER button.

- 13. On the **Calculate Route To** screen, select **OK**. The system then calculates a route and shows it as a blue line. If you are in an area with unverified roads, you may see a blue vector line or a blue/pink dotted line pointing in the direction of your destination.
- 14. Follow the voice guidance back to your dealership. It should work even with the audio system turned off.
- 15. With the map screen shown, check the system interaction with the audio system and the On-Demand Multi-Use Display (ODMD). Press and release the Talk button. After the beep, say "XM channel 115." The ODMD should show XM channel 115.
- 16. With the map screen shown, check the system interaction with the climate control system. Turn it on by selecting **AUTO**. Then press and release the Talk button. After the beep, say "Temperature 68 degrees." The ODMD should show 68 degrees.
- 17. Make sure the time shown by the system is correct; the system gets it from the GPS satellites. For areas that do not follow daylight saving time, you may have to adjust the time settings. Go to **Clock Adjustment** in the **Setup** screen, and set **Auto Daylight** to **OFF**.
 - NOTE: If your dealership is near a time zone boundary, set **Auto Time Zone by GPS** to **OFF**. The clock then keeps the home time if the client routinely drives across the time zone boundary.
- 18. Press the DISPLAY MODE button to make sure the display changes between the Day, Night, and OFF modes.
- 19. If the dealer traffic account is activated and if your dealership is near a metropolitan area that has traffic incident or traffic flow data available (see ACURALINK REAL-TIME TRAFFIC INFORMATION), do this:
 - Turn the interface dial to select one of the traffic map scales (1/20-, 1/8-, 1/4-, 1/2-, 1-, 2-, or 5-mile).
 - Use the interface dial to scroll to the downtown area of your city. If your metro area has traffic flow data, freeways and other main roads should show this data as red, yellow, or green lines in one or both directions.
 - You may see small diamond-shaped traffic incident icons. If so, scroll over one and press in the interface dial to see the details.
 - Partially shown traffic data does not mean a problem with the navigation system. Traffic flow and density
 varies from day to day and from one road to another. If your area has traffic, but you cannot see it on the
 screen, do an online search using keyword TRAFFIC.
- 20. Clear the HDD to delete any information that was saved during the TQI:
 - Turn on the audio-navigation unit.
 - Press and hold the MENU, NAV, and BACK buttons at the same time until the Select Diagnosis Items screen appears. Then release the buttons.
 - Select Detail Information & Setting, then Functional Setup.
 - Select All Clear. A confirmation screen appears, select Yes.
 - A second confirmation screen appears. Select Yes again.

4. REARVIEW CAMERA

With the ignition turned to ON, shift into Reverse. The rearview image appears on the navigation screen. Make sure the distance guidelines appear on the screen. Change the camera views by pushing in on the interface dial. Turn the dial to adjust the image brightness. This adjustment is not affected by the screen brightness adjustment in **Setup**.

NOTE:

- When in Reverse, only the interface dial works; the other buttons are locked out.
- If the image is foggy or dirty, clean the camera lens.

5. TROUBLESHOOTING

If you think you found any problems with the navigation system during the TQI or after installing replacement parts to repair it, go to the electronic service manual and enter keywords **HOW TO TROUBLESHOOT**. From the list, select **How to Troubleshoot the Navigation System**.

6. MAP COVERAGE AREAS

The map database covers the United States, Mexico, Puerto Rico, and Canada. The map coverage for the U.S. contains accurately mapped (verified) metropolitan areas and less accurate (unverified) rural coverage.

For a list of current detailed coverage areas by country and state/province, see the navigation manual or go to www.acuranavi.com. Online, select the **Model** and **Year**, **Map Coverage**, then **Map Coverage Details**.

You do not need to change the navigation settings when relocating to or from these locations.

7. ACURALINK REAL-TIME TRAFFIC INFORMATION

Traffic information is available in many metropolitan areas. The amount and type of coverage varies. Traffic incidents (diamond-shaped icons) are shown on the screen for most major metropolitan cities (typically during daytime commutes). Many of these cities also show traffic flow, shown as red, yellow, or green bands, alongside major roads or freeways.

NOTE:

- Traffic information will not be shown if the XM Satellite Radio dealer demo service is not active.
- See the electronic service manual to troubleshoot real-time traffic problems.

The amount of traffic coverage varies from city to city and time of day. The Acura website contains a link that provides an up-to-date list of the current cities with traffic coverage and the actual roads covered within each city. The link also provides a demonstration of the system that explains traffic flow color bands and incident icons shown on the map. You can find this link at www.acura.com/realtimetraffic.



8. PANDORA® AND AHA™ INTERFACE

Clients can stream Pandora or Aha through the audio system. Clients need to pair their Acura-approved phones to HandsFreeLink (HFL). To find an approved phone that supports streaming Pandora or Aha, go to www.acura.com/handsfreelink.

NOTE: Not all approved phones support all of Pandora's or Aha's features. Make sure you check the phone's supported features on the website to avoid replacing good components in the vehicle during troubleshooting.

For more information about playing Pandora or Aha through your audio system, see "Playing Internet Radio" in the owner's manual.

9. SHORT MESSAGE SERVICE (SMS) TEXT MESSAGING/E-MAIL FUNCTION

Clients who pair Acura-approved phones to HFL can get incoming text messages and e-mails, as well as respond to messages by way of the audio-navigation unit by selecting one of six possible responses.

For more information about text messages, see "Receiving a Text Message/Email" in the owner's manual.