



FCA US LLC – J2534 Supported Vehicles

“Reference Chart”

wiTECH 2.0 J2534 Application*

(wiTECH 2.0 and TechAuthority Subscriptions are required)

Model Year	Vehicles (Body Codes)
2010 – Present	All Vehicles
2009	DR/DS, HB, HG, J8, JC, JK, JS, KA, KK, LC, LX, MK, ND, PM, PT, RM, RT, WK, XK
2008	DR, HB, HG, J8, JC, JK, JS, KA, KK, LC, LX, MK, ND, PM, PT, RT, WK, XK
2007	DR, HB, HG, JK, JS, KA, LX, MK, ND, PM, WK, XK

- * Many vehicles have 3 CAN buses which require a J2534 device that supports 3 hardware CAN channels. Please make sure your J2534 device supports 3 CAN channels before purchasing a wiTECH 2.0 Subscription. [Click here](#) to view a list of wiTECH 2.0 verified J2534 devices.
- * Windows 10 is the only operating system that is supported by wiTECH 2.0 J2534 Application. Please make sure you have a Windows 10 PC before purchasing a wiTECH 2.0 Subscription. [Click here](#) to view wiTECH 2.0 J2534 PC requirements.
- * wiTECH 2.0 J2534 Application supports ECU flash reprogramming, Diagnostics, Data Read, DTCs, Routines, and System Tests.

Chrysler J2534 Flash Application**

Model Year	Vehicles (Body Codes)
1995 – 2009	All Vehicles

- ** Supports ECU flash reprogramming for emission control modules only (ECM, PCM, TCM and CTV).
- ** To perform diagnostics, data read, routines, and system tests on an applicable vehicle, an OEM FCA US LLC scan tool (DRBIII or StarSCAN) is required if the vehicle is not supported by wiTECH 2.0 J2534 application. To lease the DRBIII, call 1-586-532-8494 or [Click here](#).
- ** [Click here](#) to view how to launch the Chrysler J2534 Flash Application.
- ** 1996 – 2008 5.9L ECM (Cummins): If you are reprogramming the 5.9L diesel engine controller on the 1996 - 2008 Dodge RAM vehicle, it is necessary to also reprogram the VIN after the ECU has been flashed. To write the VIN to the ECU, you may use aftermarket software support, or use an OEM FCA US LLC scan tool (DRBIII or StarSCAN). To lease the DRBIII, call 1-586-532-8494 or [Click here](#).
- ** 1996 – 2009 All PCMs: If you are REPLACING a PCM or ECM and the vehicle is equipped with a theft deterrent system (Sentry Key), it must be initialized to properly function with the Anti Theft module. You also need to reprogram the VIN when replacing a PCM or ECM. To write the VIN to the ECU and initialize the PCM to work with the theft deterrent system, you may use aftermarket software support, or use an OEM FCA US LLC scan tool (DRBIII or StarSCAN). To lease the DRBIII, call 1-586-532-8494 or [Click here](#).

Scroll Down





- = Supported by wiTECH 2.0 J2534 Application.
- = Supported by Chrysler J2534 Flash Application.
- = Supported by both applications (wiTECH 2.0 J2534 Application + Chrysler J2534 Flash Application).

Year	Body	Vehicle Name
2010 - Present	ALL	ALL VEHICLES
2009	D1	RAM 3500 PICKUP
2009	DC	RAM 3500 CAB CHASSIS
2009	DH	RAM 2500 PICKUP
2009	DM	RAM 4500/5500 CAB CHASSIS
2009	DS	RAM 1500 PICKUP
2009	DX	DODGE REG CAB CHASSIS (MEXICO)
2009	HB	DODGE DURANGO
2009	HG	CHRYSLER ASPEN
2009	J1	CHRYSLER SEBRING (CKD)
2009	J5	DODGE JOURNEY (CKD)
2009	J8	JEEP WRANGLER (CKD)
2009	JC	DODGE JOURNEY
2009	JK	JEEP WRANGLER
2009	JS	CHRYSLER SEBRING/DODGE AVENGER
2009	K1	JEEP CHEROKEE (CKD)
2009	KA	DODGE NITRO
2009	KK	JEEP LIBERTY
2009	L2	CHRYSLER 300C (CKD)
2009	LC	DODGE CHALLENGER
2009	LE	CHRYSLER 300C TOURING (EXPORT)
2009	LX	CHRYSLER 300/DODGE MAGNUM/CHARGER
2009	MK	JEEP COMPASS/PATRIOT
2009	ND	DODGE DAKOTA
2009	P3	DODGE CALIBER (CKD)
2009	P5	CHRYSLER CRUISER (MEXICO)
2009	PM	DODGE CALIBER
2009	PT	CHRYSLER PT CRUISER
2009	R2	CHRYSLER CARAVAN/VOYAGER (CKD)/DODGE CARAVAN (CKD)
2009	RM	CHRYSLER ROUTAN (VW)
2009	RT	CHRYSLER TOWN AND COUNTRY/DODGE CARAVAN
2009	VB	DODGE SPRINTER
2009	W2	JEEP GRAND CHEROKEE (CKD)
2009	WH	JEEP GRAND CHEROKEE (EXPORT)


Year	Body	Vehicle Name
2009	WK	JEEP GRAND CHEROKEE
2009	XH	JEEP COMMANDER (EXPORT)
2009	XK	JEEP COMMANDER
2009	ZB	DODGE VIPER
2008	CS	CHRYSLER PACIFICA
2008	D1	RAM 3500 PICKUP
2008	DC	RAM 3500 CAB CHASSIS
2008	DH	RAM 1500/2500 PICKUP
2008	DM	RAM 4500/5500 CAB CHASSIS
2008	DR	RAM 1500 PICKUP
2008	DX	DODGE REG CAB CHASSIS (MEXICO)
2008	HB	DODGE DURANGO
2008	HG	CHRYSLER ASPEN
2008	J1	CHRYSLER SEBRING (CKD)
2008	J5	DODGE JOURNEY (CKD)
2008	J8	JEEP WRANGLER (CKD)
2008	JK	JEEP WRANGLER
2008	JS	CHRYSLER CIRRUS/SEBRING/DODGE AVENGER
2008	K1	JEEP CHEROKEE (CKD)
2008	KA	DODGE NITRO
2008	KK	JEEP LIBERTY
2008	L2	CHRYSLER 300C (CKD)
2008	LC	DODGE CHALLENGER
2008	LE	CHRYSLER 300 (EXPORT)
2008	LX	CHRYSLER 300/DODGE MAGNUM/CHARGER
2008	MK	JEEP COMPASS/PATRIOT
2008	ND	DODGE DAKOTA
2008	P3	DODGE CALIBER (CKD)
2008	P5	CHRYSLER CRUISER (MEXICO)
2008	PM	DODGE CALIBER
2008	PT	CHRYSLER PT CRUISER
2008	R2	CHRYSLER CARAVAN/VOYAGER (CKD)/DODGE CARAVAN (CKD)
2008	RT	CHRYSLER TOWN AND COUNTRY/DODGE CARAVAN
2008	VB	DODGE SPRINTER




FIAT CHRYSLER AUTOMOBILES

Year	Body	Vehicle Name
2008	W2	JEEP GRAND CHEROKEE (CKD)
2008	WH	JEEP GRAND CHEROKEE (EXPORT)
2008	WK	JEEP GRAND CHEROKEE
2008	XH	JEEP COMMANDER (EXPORT)
2008	XK	JEEP COMMANDER
2008	ZB	DODGE VIPER
2008	ZH	CHRYSLER CROSSFIRE
2007	CS	CHRYSLER PACIFICA
2007	D1	RAM 3500 PICKUP
2007	DC	RAM 3500 CAB CHASSIS
2007	DH	RAM 1500/2500 PICKUP
2007	DR	RAM 1500 PICKUP
2007	DX	DODGE REG CAB CHASSIS (MEXICO)
2007	HB	DODGE DURANGO
2007	HG	CHRYSLER ASPEN
2007	J1	CHRYSLER SEBRING - CHINA (CKD)
2007	JK	JEEP WRANGLER
2007	JS	CHRYSLER CIRRUS/SEBRING/DODGE AVENGER
2007	K1	JEEP CHEROKEE (CKD)
2007	KA	DODGE NITRO
2007	KJ	JEEP LIBERTY
2007	L2	CHRYSLER 300C (CKD)
2007	LE	CHRYSLER 300 (EXPORT)
2007	LX	CHRYSLER 300/DODGE MAGNUM/CHARGER
2007	MK	JEEP COMPASS/PATRIOT
2007	ND	DODGE DAKOTA
2007	P3	DODGE CALIBER (CKD)
2007	P5	CHRYSLER CRUISER (MEXICO)
2007	PM	DODGE CALIBER
2007	PT	CHRYSLER PT CRUISER
2007	RG	CHRYSLER VOYAGER (EXPORT)
2007	RS	CHRYSLER TOWN AND COUNTRY/DODGE CARAVAN
2007	VB	DODGE SPRINTER
2007	W2	JEEP GRAND CHEROKEE (CKD)
2007	WH	JEEP GRAND CHEROKEE (EXPORT)
2007	WK	JEEP GRAND CHEROKEE
2007	XH	JEEP COMMANDER (EXPORT)

Year	Body	Vehicle Name
2007	XK	JEEP COMMANDER
2007	ZH	CHRYSLER CROSSFIRE
2006 - 1995	ALL	ALL VEHICLES

 = Supported by wiTECH 2.0 J2534 Application.

 = Supported by Chrysler J2534 Flash Application.

 = Supported by both applications (wiTECH 2.0 J2534 Application + Chrysler J2534 Flash Application).