

TECHNICAL SERVICE BULLETIN

18-2225

6.7L - Illuminated Malfunction Indicator Lamp (MIL) - Various Diagnostic Trouble Codes (DTCs) - Built On Or Before 9-Jul-2018

25 July 2018

Model:

Ford	
2017-2018 F-Super Dut	y

Issue: Some 2017-2018 F-Super Duty vehicles equipped with a 6.7L diesel engine built on or before 09-Jul-2018 may exhibit an illuminated MIL with DTCs P24AE, P24AF, P24B1, P24B3, P24C6, P24C7, and/or P24DA in the powertrain control module (PCM). This may be due to a concern with the diesel particulate matter sensor.

Action: Follow the Service Procedure steps to correct the condition.

Parts

Part Number	Description	Quantity
JC3Z-5L239-A	Particulate Matter Sensor - Chassis Cab With 166", 168", 193" And 205" Wheelbase	1
JC3Z-5L239-B	Particulate Matter Sensor - Chassis Cab With 145", 179" And 192" Wheelbase	1
JC3Z-5L239-C	Particulate Matter Sensor - All Pickup	1
W718816-S300	Retainer	2
W718873-S300	Clip	2

Warranty Status: Eligible Under Provisions Of New Vehicle Limited Warranty Coverage And Emissions Warranty Coverage Warranty/ESP coverage limits/policies/prior approvals are not altered by a TSB. Warranty/ESP coverage limits are determined by the identified causal part and verified using the OASIS part coverage tool.

Labor Times

Description	Operation No.	Time
2017-2018 F-Super Duty 6.7L: Retrieve DTCs And Replace The Particulate Matter Sensor (Do Not Use With Any Other Labor Operations)	182225A	0.6 Hrs.

Repair/Claim Coding

Causal Part:	5L239
Condition Code:	42

Tool List

Drive	Tool Name	
1/2"	Ratchet	
1/2"	Torque Wrench	
1/2"	5" Extension	
1/2"	1/2" 24 mm 6 Point Flare Nut Crows Foo	
	Trim Tool	

Service Procedure

- 1. Check the vehicle build date. Was the vehicle built on or before 9-Jul-2018?
 - (1). Yes proceed to Step 2.

- (2). No this article does not apply. Refer to the Powertrain Control and Emissions Diagnostics (PC/ED) Manual for normal diagnostics.
- **2.** Using the appropriate Ford diagnostic scan tool or equivalent, retrieve DTCs. Does the vehicle have DTCs P24AE, P24AF, P24B1, P24B3, P24C6, P24C7, and/or P24DA stored in the PCM?
 - (1). Yes proceed to Step 3.
 - (2). No this article does not apply. Refer to the PC/ED Manual for normal diagnostics.
- 3. Replace the particulate matter sensor. Refer to the Workshop Manual (WSM), Section 303-14C.

© 2018 Ford Motor Company

All rights reserved.

NOTE: The information in Technical Service Bulletins is intended for use by trained, professional technicians with the knowledge, tools, and equipment to do the job properly and safely. It informs these technicians of conditions that may occur on some vehicles, or provides information that could assist in proper vehicle service. The procedures should not be performed by "do-it-yourselfers". Do not assume that a condition described affects your car or truck. Contact a Ford or Lincoln dealership to determine whether the Bulletin applies to your vehicle. Warranty Policy and Extended Service Plan documentation determine Warranty and/or Extended Service Plan coverage unless stated otherwise in the TSB article. The information in this Technical Service Bulletin (TSB) was current at the time of printing. Ford Motor Company reserves the right to supersede this information with updates. The most recent information is available through Ford Motor Company's on-line technical resources.